

CONTENTS

1	INTRODUCTION	1
1.1	Background	1
1.2	Motivation	2
1.3	Problems	4
1.4	Approach	7
1.5	Content	9
	Linked Data Provider	13
2	THE LOD LAUNDROMAT	15
2.1	Introduction	15
2.2	Related Work	17
2.3	Context	19
2.4	Implementation: the LOD Washing Machine	22
2.5	The LOD Laundromat Web service	28
2.6	Conclusion	30
3	REDUCING SIZE BY RDF GRAPH SAMPLING	33
3.1	Introduction	33
3.2	Related Work	35
3.3	Context	37
3.4	Sampling Pipeline	40
3.5	Experiment Setup and Evaluation	42
3.6	Results	45
3.7	Conclusion	49
4	REDUCING QUERY COMPLEXITY	51
4.1	Introduction	51
4.2	Core Concepts & Related Work	53
4.3	Motivation	55
4.4	Workflow & Architectural Design	58
4.5	Evaluation	61
4.6	Conclusion	64
	Linked Data Developer	67
5	THE YASGUI FAMILY OF SPARQL CLIENTS	69
5.1	Introduction	69
5.2	State of the Art in SPARQL User Interfaces	71
5.3	The YASGUI Family	76
5.4	Impact	80
5.5	Conclusion	84
6	META-DATA FOR A LOT OF LOD	87
6.1	Introduction	87
6.2	Comparable Datasets	89
6.3	Meta-Data Requirements	89

6.4	The LOD Laundromat Meta-Dataset	92
6.5	Use Cases	100
6.6	Conclusion	102
	Linked Data Scientist	103
7	LOD LAB: EXPERIMENTS AT LOD SCALE	105
7.1	Introduction	105
7.2	Motivation	107
7.3	Related Work	110
7.4	Implementation	111
7.5	Evaluation	115
7.6	Conclusion	121
8	YASGUI AS A MEASURING DEVICE FOR LINKED DATA USE	123
8.1	Introduction	123
8.2	Related Work	124
8.3	Methodology	126
8.4	Results	128
8.5	Conclusion	132
9	CONCLUSIONS	135
9.1	Results	135
9.2	Final Observations	140
9.3	Accessible & Scalable Linked Data	143
	BIBLIOGRAPHY	145
	SUMMARY	155
	SAMENVATTING	157