

# Table of contents

CHAPTER 1	Introduction	9
CHAPTER 2	Characteristics of chiropractors and their patients in Belgium. <i>J Manipulative Physiol Ther 2010 Oct;33(8):618-25</i>	19
CHAPTER 3	Definition of the construct to be measured is a prerequisite for the assessment of validity. The Neck Disability Index as an example. <i>J Clin Epidemiol 2013 Jul;66(7):775-82</i>	37
CHAPTER 4	Reliability, responsiveness and interpretability of the Neck Disability Index-Dutch Version in primary care. <i>Eur Spine J 2015 Jan;24(1):88-93</i>	59
CHAPTER 5	Somatization is associated with worse outcome in patients with neck pain and low back pain. <i>Man Ther 2016, Feb;21:170-176</i>	73
CHAPTER 6	Adding psychosocial factors does not improve predictive models in patients with spinal pain enough to warrant extensive screening for them at baseline. <i>Accepted for publication in Phys Ther</i>	93
CHAPTER 7	Trajectories of neck pain and low back pain. A latent class growth analysis. <i>Submitted</i>	121
CHAPTER 8	How well do measurements of pain measured by monthly questionnaires correlate with data collected weekly? <i>Submitted</i>	139
CHAPTER 9	General discussion	155
CHAPTER 10	Summary – Samenvatting	171
	Dankwoord	187