

---

# Bibliography

**A**

- Abrams, P. A. (1995) Implications of dynamically variable traits for identifying, classifying and measuring direct and indirect effects in ecological communities. *The American Naturalist* 146:112-134.
- Aguirre-Macedo, M. L., Kennedy, C. R. (1999) Diversity of metazoan parasites of the introduced oyster species *Crassostrea gigas* in the Exe estuary. *Journal of the Marine Biological Association of the UK* 79:57-63.
- Aguirre-Macedo, M. L., Vidal-Martinez, V. M., Herrera-Silveira, J. A., Valdés-Lozano, D. S., Herrera-Rodríguez, M., Olvera-Novoa, M. A. (2008) Ballast water as a vector of coral pathogens in the Gulf of Mexico: the case of the Cayo Arcas coral reef. *Marine Pollution Bulletin* 56: 1570-1577.
- Alderman, D. J. (1996) Geographical spread of bacterial and fungal diseases of crustaceans. *Revue Scientifique et Technique* 15:603-632.
- Amat, F., Gozalbo, A., Navarro, J. C., Hontoria, F., Varó, I. (1991) Some aspects of *Artemia* biology affected by cestode parasitism. *Hydrobiologia* 212:39-44.
- Ambariyanto, Seed, R. (1991) The infestation of *Mytilus edulis* Linnaeus by *Polydora ciliata* (Johnston) in the Conwy estuary, North Wales. *Journal of Molluscan Studies* 57:413-424.
- Amundsen, P.-A., Lafferty, K. D., Knudsen, R., Primicerio, R., Kristoffersen, R., Klemetsen, A., Kuris, A. M. (2013) New parasites and predators follow the introduction of two fish species to a subarctic lake: implications for food-web structure and functioning. *Oecologia* 171:993-1002.
- Anger, K., Anger, V., Hagmeier, E. (1986) Laboratory studies on larval growth of *Polydora ligni*, *Polydora ciliata*, and *Pygospio elegans* (Polychaeta, Spionidae). *Helgoländer Meeresuntersuchungen* 40:377-395.
- Arakawa, K. Y. (1990) Commercially important species of oysters in the world. *Marine and Freshwater Behaviour and Physiology* 17:1-13.
- Arneberg, P., Skorping, A., Grenfell, B., Read, A. F. (1998) Host densities as determinants of abundance in parasite communities. *Proceedings of the Royal Society of London B* 265: 1283-1289.
- Arsan, E. L., Bartholomew, J. L. (2009) Potential dispersal of the non-native parasite *Myxobolus cerebralis* in the Willamette River Basin, Oregon: a qualitative analysis of risk. *Reviews in Fisheries Science* 17:360-372.
- Arzul, I., Langlade, A., Chollet, B., Robert, M., Ferrand, S., Omnes, E., Lerond, S., Couraleau, Y., Joly, J.-P., François, C., Garcia, C. (2011) Can the protozoan parasite *Bonamia ostreae* infect larvae of flat oysters *Ostrea edulis*? *Veterinary Parasitology* 179:69-76.

**B**

- Bachelet, G., Simon-Bouhet, B., Desclaux, C., Garcia-Meunier, P., Mairesse, G., de Mountaudouin, X., Raigné, H., Randriambao, K., Sauriau, P., Viard, F. (2004) Invasion of the eastern Bay of Biscay by the nassariid gastropod *Cyclope neritea*: origin and effects on resident fauna. *Marine Ecology Progress Series* 276:147-159.
- Baillon S., J.-F., Hamel, Merciere, A. (2014) Diversity, distribution and nature of faunal associations with deep-sea pennatulacean corals in the northwest Atlantic. *PLoS ONE* 9:e111519, doi:10.1371/journal.pone.0111519.

- Bakke, T. A., Jansen, P. A., Hansen, L. P. (1990) Differences in the host resistance of Atlantic salmon, *Salmo salar* L., stocks to the monogenean *Gyrodactylus salaris* Malmberg, 1957. *Journal of Fish Biology* 37:577-587.
- Balouet, G., Poder, M., Cahour, A. (1983) Haemocytic parasitosis: morphology and pathology of lesions in the French flat oyster, *Ostrea edulis*. *Aquaculture* 34:1-14.
- Balseiro, P., Aranguren, R., Gestal, C., Novoa, B., Figueras, A. (2006) *Candidatus Xenohaliotis californiensis* and *Haplosporidium montfori* associated with mortalities of abalone *Haliotis tuberculata* cultured in Europe. *Aquaculture* 258:63-72.
- Barber, B. J. (1997) Impacts of bivalve introductions on marine ecosystems: a review. *Bulletin of National Research Institute of Aquaculture* 3:141-153.
- Barrett, J. (1981) *Biochemistry of parasitic helminths*. MacMillan, London, United Kingdom.
- Barrett, R. D. H., Schluter, D. (2008) Adaptation from standing genetic variation. *Trends in Ecology and Evolution* 23:38-44.
- Barry, J., McLeish, J., Dodd, J. A., Tumball, J. F., Boylan, P., Adams, C. E. (2014) Introduced parasite *Anguillicola crassus* infection significantly impedes swimbladder function in the European eel *Anguilla anguilla* (L.). *Journal of Fish Diseases* 37:921-924.
- Barse, A. M., McGuire, S. A., Vinores, M. A., Elerman, L. E., Weeder, J. A. (2001) The swimbladder nematode *Anguillicola crassus* in American eels (*Anguilla rostrata*) from middle and upper regions of Chesapeake Bay. *Journal of Parasitology* 87:1366-1370.
- Bartoli, P., Boudouresque, C.-F. (1997) Transmission failure of parasites (Dignea) in sites colonized by the recent introduced invasive alga *Caulerpa taxifolia*. *Marine Ecology Progress Series* 154:253-260.
- Bates, D., Maechler, M., Bolker, B., Walker, S. (2015) Fitting linear mixed-effects models using lme4. *Journal of Statistical Software* 67:1-48.
- Baud, A., Cuoc C., Grey, J., Chappaz, R., Alekseev, V. (2004) Seasonal variability in the gut ultrastructure of the parasitic copepod *Neoergasilus japonicas* (Copepda, Poecilostomatoida). *Canadian Journal of Zoology* 82:1655-1666.
- Bauer, O. N., Pugachev, O. N., Voronin, V. N. (2002) Study of parasites and diseases of sturgeons in Russia: a review. *Journal of Applied Ichthyology* 18:420-429.
- Bax, N., Williamson, A., Aguero, M., Gonzalez, E., Geeves, W. (2003) Marine invasive alien species: a threat to global biodiversity. *Marine Policy* 27:313-323.
- Bayne, B. L., Salkeld, P. N., Worrall, C. M. (1983) Reproductive effort and value in different populations of the marine mussel *Mytilus edulis* L. *Oecologia* 59:18-26.
- Becker, E. L., Cordes, E. E., Macko, S. A., Lee, R. W., Fisher, C. R. (2013) Using stable isotope compositions of animal tissues to infer trophic interactions in Gulf of Mexico lower slope seep communities. *PLoS ONE*, 8, doi:10.1371/journal.pone.0074459.
- Begon, M., Townsend, C. R., Harper, J. L. (2005) *Ecology: from individuals to ecosystems*. Wiley-Blackwell, Oxford, UK.
- Behrmann-Godel J., Yohannes, E. (2015) Multiple isotope analyses of the pike tapeworm *Triaenophorus nodulosus* reveal peculiarities in consumer-diet discrimination patterns. *Journal of Helminthology* 89:238-243.
- Bernard, F. R. (1969) Copepod *Mytilicola orientalis* in British Columbia bivalves. *Journal of the Fisheries Research Board of Canada* 26:190-191.
- Beukema, J. J. (1976) Biomass and species richness of the macro-benthic animals living on the tidal flats of the Dutch Wadden Sea. *Journal of Sea Research* 10:236-261.

- Bickford, D., Lohman, D. J., Sodhi N. S., Ng P. K. L., Meier, R., Winker, K., Ingram K. K., Das, I. (2007) Cryptic species as a window on diversity and conservation. *Trends in Ecology and Evolution* 22:14-155.
- Blackburn, T. M., Pyšek, P., Bacher, S., Carlton, J. T., Duncan, R. P., Jarošík V., Wilson, J. R. U., Richardson, D. M. (2011) A proposed unified framework for biological invasions. *Trends in Ecology and Evolution* 26:333-339.
- Blackburn, T. M., Essle, F., Evans, T., Hulme, P. E., Jeschke, J. M., Kühn, I., Kumschick, S., Marková, Z., Mrugala, A., Nentwig, W., Pergl, J., Pyšek, P., Rabitsch, W., Ricciardi A., Richardson, D. M., Sendek, A., Vilà M., Wilson, J. R. U., Winter, M., Genovesi, P., Bacher, S. (2014) A unified classification of alien species based on the magnitude of their environmental impacts. *PLoS Biology* 12:e1001850, doi:10.1371/journal.pbio.1001850.
- Blakeslee, A. M. H., Byers, J. E., Lesser, M. P. (2008) Solving cryptogenic histories using host origin. *Molecular Ecology* 17:3684-3696.
- Blakeslee, A. M. H., Fowler, A. E., Keogh, C. L. (2013) Marine invasion and parasite escape: updates and new perspectives. *Advances in Marine Biology* 66:87-169.
- Blateau, D., Le Coguic, Y., Mailhe, E., Grizel, H. (1992) Mussel (*Mytilus edulis*) treatment against the red copepod *Mytilicola intestinalis*. *Aquaculture* 107:165-169.
- Boag, B., Neilson, R., Robinson, D., Scrimgeour, C. M., Handley, L. L. (1998) Wild Rabbit Host and Some Parasites Show Trophic-Level Relationships for  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ : A First Report. *Isotopes in Environmental and Health Studies* 34:81-85.
- Bodin, N., Le Loc'h, F., Hily, C. (2007) Effect of lipid removal on carbon and nitrogen stable isotope ratios in crustacean tissues. *Journal of Experimental Marine Biology and Ecology* 341:168-175.
- Bolster, G. C. (1954) The biology and dispersal of *Mytilicola intestinalis* Steuer, a copepod parasite of mussels. *Fishery Investigations. Ministry of Agriculture, Fisheries and Food* 18:1-30.
- Bondad-Reantaso, M. G., Subasinghe, R. P., Arthur, J. R., Ogawa, K., Chinabut, S., Adlard, R., Tan, Z., Shariff, M. (2005) Disease and health management in Asian aquaculture. *Veterinary Parasitology* 132:249-272.
- Borsje, B. (2006) Biological influence on sediment transport and bed composition for the Western Wadden Sea. Msc thesis Z3928, WL/Delft Hydraulics, UT Twente, The Netherlands.
- Boschma, H. (1972) On the occurrence of *Carcinus maenas* (Linnaeus) and its parasite *Sacculina carcini* Thompson in Burma, with notes on the transport of crabs to new localities. *Zoologische Mededelingen* 47:145-155.
- Bouchet, P., Rocroi, J.-P., Bieler, R., Carter, J. G., Coan, E. V. (2010) Nomenclator of bivalve families with a classification of bivalve families. Part 1. Nomenclator of bivalve names of the family-group and above. Part 2. Classification of bivalve families. *Malacologia* 52:1-184.
- Brenner, M., Broeg, K., Frickenhaus, S., Buck, B. H., Koehler, A. (2014) Multi-biomarker approach using the blue mussel (*Mytilus edulis* L.) to assess the quality of marine environments: Season and habitat-related impacts. *Marine Environmental Biology* 95:13-27.
- Britton, J. R. (2013) Introduced parasites in food webs: new species, shifting structures? *Trends in Ecology and Evolution* 28:93-99.
- Buck, B., Thieltges, D. W., Walter, U., Nehls, G., Rosenthal, H. (2005) Inshore-offshore comparison of parasite infestation in *Mytilus edulis*: implications for open ocean aquaculture. *Journal of Applied Ichthyology* 21:107-113.
- Bunce, A., Norman, F. I. (2000) Changes in the diet of the Australasian gannet (*Morus serrator*) in response to the 1998 mortality of pilchards (*Sardinops sagax*). *Marine and Freshwater Research* 51:349-353.

- Burchard, H., Bolding, K. (2002) GETM (2002) a General Estuarine Transport Model. Scientific Documentation. Technical Report. EUR 20253 EN European Commission, 157 pp.
- Burreson, E. M., Stokes, N. A., Friedman, C. S. (2000) Increased virulence in an introduced pathogen: *Haplosporidium nelsoni* (MSX) in the eastern oyster *Crassostrea virginica*. *Journal of Aquatic Animal Health* 12:1-8.
- Burreson, E. M., Ford, S. E. (2004) A review of recent information on the Haplosporidia, with special reference to *Haplosporidium nelsoni* (MSX disease). *Aquatic Living Resources* 17:499-517.
- Buschbaum, C., Buschbaum, G., Schrey, I., Thieltges, D. W. (2007) Shell-boring polychaetes affect gastropod shell strength and crab predation. *Marine Ecology Progress Series* 329:123-130.
- Buschbaum, C., Lackschewitz, D., Reise, K. (2012) Nonnative macrobenthos in the Wadden Sea ecosystem. *Ocean & Coastal Management* 68:89-101.
- Buschbaum, C., Cornelius, A., Goedknecht, M. A. (2016) Deeply hidden inside introduced biogenic structures - Pacific oyster reefs reduce detrimental barnacle overgrowth on native blue mussels. *Journal of Sea Research* 117:20-26.
- Bush, A. O., Lafferty, K. D., Lotz, J. M., Shostak, A. W. (1997) Parasitology meets ecology on its own terms: Margolis et al. revisited. *Journal of Parasitology* 83:575-583.
- Butterworth, K. G., Weiming, L., McKinley, R. S. (2004) Carbon and nitrogen stable isotopes: a tool to differentiate between *Lepeophtheirus salmonis* and different salmonid host species? *Aquaculture* 241:529-538.
- Byers, J. E. (2000) Competition between two estuarine snails: implications for invasions of exotic species. *Ecology* 81:1225-1239.
- Byers, J. E., Blakeslee, A. M. H., Linder, E., Cooper, A. B., Maguire, T. (2008) Controls of spatial variation in the prevalence of trematode parasites infecting a marine snail. *Ecology* 89: 439-451.
- Byers, J. E., Wright, J. T., Gribben, P. E. (2010) Variable direct and indirect effects of a habitat-modifying invasive species on mortality of native fauna. *Ecology* 91:1797-1798.

## C

- Cabanellas-Reboredo, M., Deudero, S., Blanco, A. (2009) Stable-isotope signatures ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) of different tissues of *Pinna nobilis* Linnaeus, 1758 (Bivalvia): Isotopic variations among tissues and between seasons. *Journal of Molluscan Studies* 75:343-349.
- Cadée, G. C. (2008a) Oystercatchers *Haematopus ostralegus* catching Pacific oysters *Crassostrea gigas*. *Basteria* 72:25-31.
- Cadée, G. C. (2008b) Herring gulls feeding again on Pacific oysters *Crassostrea gigas* in the Dutch Wadden Sea near Texel. *Basteria* 72:33-36.
- Cahour, A. (1979) *Marteillia refringens* and *Crassostrea gigas*. *Marine Fisheries Review* 41:19-20.
- Calvo-Ugarteburu, G., McQuaid, C. D. (1998a) Parasitism and introduced species: epidemiology of trematodes in the intertidal mussels *Perna perna* and *Mytilus galloprovincialis*. *Journal of Experimental Marine Biology and Ecology* 220:47-65.
- Calvo-Ugarteburu, G., McQuaid, C. D. (1998b) Parasitism and invasive species: effects of digenetic trematodes on mussels. *Marine Ecology Progress Series* 169:149-163.
- Camacho, A. P., Villalba, A., Labarta, U., Beiras, R. (1997) Absorption efficiency and condition of cultured mussels (*Mytilus edulis galloprovincialis* Linnaeus) of Galicia (NW Spain) infected

- by parasites *Marteilia refringens* Grizel et al. and *Mytilicola intestinalis* Steuer. Journal of Shellfish Research 16:77-82.
- Campbell, S. A. (1970) The occurrence and effects of *Mytilicola intestinalis* in *Mytilus edulis*. Marine Biology 5:89-95.
- Carlton, J. T. (1979) Biogeographical ecology of the introduced marine and estuarine invertebrates of the Pacific coast of North America. University of California, Oakland, US.
- Carlton, J. T. (1996) Biological invasions and cryptogenic species. Ecology 77:1653-1655.
- Carlton, J.T., Geller, J. B. (1993) Ecological roulette: the global transport of non-indigenous marine organisms. Science 261:78-82.
- Caspers, H. (1939) Über Vorkommen und Metamorphose van *Mytilicola intestinalis* Steuer (Copepoda paras.) in der südlichen Nordsee. Zoologischer Anzeiger 126:161-171.
- Catenazzi, A., Donnelly, M. A. (2008) Sea lion *Otaria flavescens* as host of the common vampire bat *Desmodus rotundus*. Marine Ecology Progress Series 360:285-289
- Catherine, M., Blateau, D., Mazurié, J., Le Bec, C. (1990) Anomalies des coquilles d'huitres creuses *Crassostrea gigas* observées sur le littoral français en mai-juin 1989, dues au ver *Polydora* et aux peintures antisalissures. Rapports Internes de la Direction des Ressources Vivantes de l'Ifremer. RIDRV 90.22-CSRU-RA/Nantes-La Trinité sur Mer.
- Cattadori, I. M., Wagner, B. R., Wodzinski, L. A., Pathak, A. K., Poole, A., Boag, B. (2014) Infections do not predict shedding in co-infections with two helminths from a natural system. Ecology 95:1684-1692.
- Caut, S., Angulo, E., Courchamp, F. (2008) Discrimination factors ( $\Delta^{15}\text{N}$  and  $\Delta^{13}\text{C}$ ) in an omnivorous consumer: effect of diet isotopic ratio. Functional Ecology 22:255-263.
- Caut, S., Angulo, E., Courchamp, F. (2009) Variation in discrimination factors ( $\Delta^{15}\text{N}$  and  $\Delta^{13}\text{C}$ ): the effect of diet isotopic values and applications for diet reconstruction. Journal of Applied Ecology 46:443-453.
- Chapman, J. W., Dumbauld, B. R., Itani, G., Markham, J. C. (2012) An introduced Asian parasite threatens north-eastern Pacific estuarine ecosystems. Biological Invasions 14:1221-1236.
- Chew, K. K. (1990) Global bivalve shellfish introductions. Journal of the World Aquaculture Society 21:9-22.
- Clarke, J. M., Hawke, D. J. (2012) A new epizoic laelapid mite from the New Zealand sand scarab *Pericoptus truncatus* larvae and its isotopic ecology. New Zealand Journal of Zoology 39:187-199.
- Clausen, I., Riisgård, H. U. (1996) Growth, filtration, and respiration in the mussel *Mytilus edulis*: no evidence for physiological regulation of the filter-pump to nutritional needs. Marine Ecology Progress Series 141:37-45.
- Colautti, R. I., Ricciardi, A., Grigorovich, I. A., MacIsaac, H. J. (2004) Is invasion success explained by the enemy release hypothesis? Ecology Letters 7:721-733.
- Colautti, R. I., Barrett, S. C. (2013) Rapid adaptation to climate facilitates range expansion of an invasive plant. Science 342:364-366.
- Cole, H. A. (1951) Le *Mytilicola* en Angleterre. Revue des Travaux de l'Institut des Pêches Maritimes 17:9-13.
- Cole, H. A., Savage, R. E. (1951) The effect of the parasitic copepod, *Mytilicola intestinalis* (Steuer), upon the condition of mussels. Parasitology 41:156-161.
- Collins, M., Cullen, J. M., Dann, P. (1999) Seasonal and annual foraging movements of little penguins from Philip Island, Victoria. Wildlife Research 26:705-721.

- Combes, C. (2001) Parasitism: the ecology and evolution of intimate interactions. The University of Chicago Press Ltd, Chicago, US.
- Crooks, J. A. (2002) Characterizing ecosystem-level consequence of biological invasions: the role of ecosystem engineers. *Oikos* 97:153-166.
- Culloty, S. C., Novoa, B., Pernas, M., Longshaw, M., Mulcahy, M. F., Feist, S. W., Figueras, A. (1999) Susceptibility of a number of bivalve species to the protozoan parasite *Bonamia ostreae* and their ability to act as vectors for this parasite. *Diseases of Aquatic Organisms* 37:73-80.
- Culver, C. M., Kuris, A. M. (2004) Susceptibility of California gastropods to an introduced South African sabellid polychaete, *Terebrasabella heterouncinata*. *Invertebrate Biology* 123: 316-323.
- CWSS (2008) Nomination of the Dutch-German Wadden Sea as World Heritage Site. Wadden Sea Ecosystem no. 24. Common Wadden Sea Secretariat, Wilhelmshaven, Germany, pp 1-200.

## D

- Dabouineau, L., Ponsero, A. (2009) Synthesis on biology of common European cockle *Cerastoderma edule*, Université Catholique de l'Ouest - Réserve Naturelle Nationale Baie de St-Brieuc, Angers, France.
- Dang, C., de Montaudouin, X., Bald, J., Jude, F., Raymond, N., Lanceleur, L., Paul-Pont, I., Caill-Milly, N. (2009) Testing the enemy release hypothesis: trematode parasites in the nonindigenous Manila clam *Ruditapes philippinarum*. *Hydrobiologia* 630:139-148.
- Dann, P., Norman, F. I., Cullen, J. M., Neira, F. J., Chiaradia, A. (2000) Mortality and breeding failure of little penguins, *Eudyptula minor*, in Victoria, 1995-96, following a widespread mortality of pilchard, *Sardinops sagax*. *Marine and Freshwater Research* 51:355-362.
- Dare, P. J. (1982) The susceptibility of seed oysters of *Ostrea edulis* L. and *Crassostrea gigas* Thunberg to natural infestation by the copepod *Mytilicola intestinalis* Steuer. *Aquaculture* 26:201-211.
- Daro, M. H., Polk, P. (1973) The autoecology of *Polydora ciliata* along the Belgian coast. *Journal of Sea Research* 6:130-140.
- Daszak, P., Cunningham, A. A., Hyatt, A. D. (2000) Emerging infectious diseases of wildlife — threats to biodiversity and human health. *Science* 287:443-449.
- Davis, M. A. (2009) Invasion biology. Oxford University Press, Oxford, UK.
- De Grave, S., Xie, Q., Casey, D. (1995) The intensity of infection by the intestinal copepod, *Mytilicola orientalis*, does not affect the condition of Pacific oysters (*Crassostrea gigas*). *Bulletin of the European Association of Fish Pathologists* 154:129-131.
- de la Vega, C., Lebreton, B., Siebert, U., Guillou, G., Das, K., Asmus, R., Asmus, H. (2016) Seasonal variation of harbor seal's diet from the Wadden Sea in relation to prey availability. *PLoS ONE* 11, doi: 10.1371/journal.pone.0155727.
- de Mountandouin, X., Wegeberg, A. M., Jensen, K. T., Sauriau, P. G. (1998) Infection characteristics of *Himasthla elongata* cercariae in cockles as a function of water current. *Diseases of Aquatic Organisms* 34:63-70.
- Dean, S., DiBacco, C., McKinley, R. S. (2011) Assessment of stable isotopic signatures as a means to track the exchange of sea lice (*Lepeophtheirus salmonis*) between host fish populations. *Canadian Journal of Fisheries and Aquatic Sciences* 68:1243-1251.

- Dekker, R., Beukema, J. J. (2007) Long-term and large-scale variability in productivity of the tellinid bivalve *Macoma balthica* on Wadden Sea tidal flats. *Marine Ecology Progress Series* 337:117-134.
- Demopoulos, A. W. J., Sikkel, P. C. (2015) Enhanced understanding of ectoparasite-host trophic linkages on coral reefs through stable isotope analysis. *International Journal for Parasitology: Parasites and Wildlife* 4:125-134.
- Denic, M., Taeubert, J.-E., Geist, J. (2015) Trophic relationships between the larvae of two freshwater mussels and their fish hosts. *Invertebrate Biology* 134:129-135.
- DeNiro, M. J., Epstein, S. (1981) Influence of diet on the distribution of nitrogen isotopes in animals. *Geochimica et Cosmochimica Acta* 45:341-351.
- Dennis, C. A., MacNeil, M. A., Rosati, J. Y., Pitcher, T. E., Fisk, A. T. (2010) Diet discrimination factors are inversely related to  $\Delta^{15}\text{N}$  and  $\Delta^{13}\text{C}$  values of food for fish under controlled conditions. *Rapid Communications in Mass Spectrometry* 24:3515-3520.
- DePaola, A., Capers, G. M., Motes, M. L., Olsvik, O., Fields, P. I., Wells, J., Wachsmuth, I. K., Cebula, T. A., Koch, W. H., Khambaty, F., Kothary, M. H., Payne, W. L., Wentz, B. A. (1992) Isolation of Latin American epidemic strain of *Vibrio cholerae* O1 from US Gulf Coast. *The Lancet* 339:624.
- Deslous-Paoli, J. M. (1981) *Mytilicola orientalis* Mori, *Crassostrea gigas* Thunberg's parasite in the basin of Marennes-Oleron: impact on the condition and biochemical composition of oysters during rearing. *ICES CM* 29:1-15.
- Dethlefsen, V. (1972) Zur Parasitologie der Miesmuschel (*Mytilus edulis* L., 1758). *Berichte der Deutschen Wissenschaftlichen Kommission für Meeresforschung* 22:344-371.
- Dethlefsen, V. (1975) The influence of *Mytilicola intestinalis* Steuer on the meat content of the mussel *Mytilus edulis* L.. *Aquaculture* 6:83-97.
- Dethlefsen V. (1985) *Mytilicola intestinalis* parasitism. In: Sindermann, C. J. (ed) *Fiches d'Identification des Maladies et Parasites des Poissons, Crustacés et Mollusques*. Copenhagen. *ICES* 24:1-4.
- Deudero, S., Pinnegar, J. K., Polunin, N. V. C. (2002) Insights into fish host-parasite trophic relationships revealed by stable isotope analysis. *Diseases of Aquatic Organisms* 52:77-86.
- Dobson, A. (2004) Population dynamics of pathogens with multiple host species. *The American Naturalist* 164:S64-S78.
- Dogiel, V. A., Lutta, A. S. (1937) On the mortality of *Acipenser nudiiventris* of the Aral Sea in 1936. *J. Rybnoje Chozuaysto* 12:25-27 ([In Russian]).
- Doucett, R. R., Giberson, D. J., Power, G. (1999) Parasitic association of *Nanocladius* (Diptera: Chironomidae) and *Pteronarcys biloba* (Plecoptera: Pteronarcydiidae): Insights from stable-isotope analysis. *Journal of the North American Benthological Society* 18:514-523.
- Drake, L. A., Choi, K. H., Ruiz, G. M., Dobbs, F. C. (2001) Global redistribution of bacterioplankton and virioplankton communities. *Biological Invasions* 3:193-199.
- Drake, L. A., Meyer, A. E., Forsberg, R. L., Baier, R. E., Doblin, M. A., Heinemann, S., Johnson, W. P., Koch, M., Rublee, P. A., Dobbs, F. C. (2005) Potential invasion of microorganisms and pathogens via 'interior hull' fouling: biofilms inside ballast water tanks. *Biological Invasions* 7:969-982.
- Drake, L. A., Doblin, M. A., Dobbs, F. C. (2007) Potential microbial bioinvasion via ships' ballast water, sediment and biofilm. *Marine Pollution Bulletin* 55:33-341.
- Drinkwaard, A. C. (1999) Introductions and developments of oysters in the North Sea area: a review. *Helgoländer Wissenschaftliche Meeresuntersuchungen* 52:301-308.



- Dubois, S., Blin, J.-L., Bouchaud, B., Lefebvre, S. (2007) Isotope trophic-step fractionation of suspension-feeding species: Implications for food partitioning in coastal ecosystems. *Journal of Experimental Marine Biology and Ecology* 351:121-128.
- Dubois, S. Y., Savoye, N., Sauriau, P.-G., Billy, I., Martinez, P., de Montaudouin, X. (2009) Digenean trematodes-marine mollusc relationships: a stable isotope study. *Diseases of Aquatic Organisms* 84:65-77.
- Dumbauld, B. R., Chapman, J. W., Torchin, M. E., Kuris, A. M. (2011) Is the collapse of mud shrimp (*Upogebia pugettensis*) populations along the Pacific coast of North America caused by outbreaks of a previously unknown bopyrid isopod parasite (*Orthione griffenis*)? *Estuaries and Coasts* 34:336-350.
- Dunn, A. M. (2009) Parasites and biological invasions. *Advances in Parasitology* 68:161-184.
- Dunn, A. M., Torchin, M. E., Hatcher, M. J., Kotanen, P. M., Blumenthal, D. M., Byers, J. E., Coon, C. A. C., Frankel, V. M., Holt, R. D., Hufbauer, R. A., Kanarek, A. R., Schierenbeck, K. A., Wolfe, L. M., Perkins, S. E. (2012) Invasions and infections — indirect effects of parasites in invasions. *Functional Ecology* 26:1262-1274.
- Dunne, J. A., Lafferty, K.D., Dobson, A.P., Hechinger, R.F., Kuris, A.M., Martinez, N D., McLaughlin, J. P., Mouritsen, K. M., Poulin, R., Reise, K., Stouffer, D. B., Thieltges, D. W., Williams, R., Zander, C. D. (2013) Parasites affect food web structure primarily through increased diversity and complexity. *PLoS Biology* 11:e1001579, doi:10.1371/journal.pbio.1001579
- Duran-Matute, M., Gerkema, T., de Boer, G. J., Nauw, J. J., Gräwe, U. (2014) Residual circulation and freshwater transport in the Dutch Wadden Sea: a numerical modelling study. *Ocean Science* 10:611-632.

## E

- Egea, E., David, B. I., Choné, T., Laurin, B., Féral, J. P., Chenuil, L. (2016) Morphological and genetic analyses reveal a cryptic species complex in the echinoid *Echinocardium cordatum* and rule out a stabilizing selection explanation. *Molecular Phylogenetics and Evolution* 94:207-220.
- Ellenby, C. (1947) A copepod parasite of the mussel new to the British fauna. *Nature* 159:645.
- Eloranta, A. P., Knudsen, R., Amundsen, P.-A., Merilä, J. (2015) Consistent isotopic differences between *Schistocephalus* spp. parasites and their stickleback hosts. *Diseases of Aquatic Organisms* 84:65-77.
- El-Rashidy, H. H., Boxshall, G. A. (2009) Parasites gained: alien parasites switching to native hosts. *Journal of Parasitology* 95:1326-1329.
- Elsner, N. O., Jacobsen, S., Thieltges, D. W., Reise, K. (2011) Alien parasitic copepods in mussels and oysters of the Wadden Sea. *Helgoland Marine Research* 65:299-307.
- Elston, R. A. (1993) Infectious diseases of the Pacific oyster, *Crassostrea gigas*. *Annual Review of Fish Diseases* 3:259-276.
- Elston, R. A., Farley, C. A., Kent, M. L. (1986) Occurrence and significance of bonamiasis in European flat oysters *Ostrea edulis* in North America. *Diseases of Aquatic Organisms* 2:49-54.
- Elton, C. S. (1958) *The ecology of invasions*. Methuen, London, UK.
- Emde, S., Rueckert, S., Kochmann, J., Knopf, K., Sures, B. (2014) Nematode eel parasite found inside acanthocephalan cysts — a “Trojan horse” strategy? *Parasite & Vectors* 7:1-5.
- Engelsma, M. Y., Haenen, O. L. M. (2004) Jaarverslag schelpdierziekten 2003. Resultaten van onderzoek naar ziekten, plagen en mortaliteiten in schelpdierbestanden van het

- Grevelingenmeer en de Oosterschelde in 2003. CIDC-Lelystad, Report 04/0009045, Lelystad, The Netherlands.
- Engelsma, M. Y., Roozenburg, I., Joly, J.-P. (2008) First isolation of *Nocardia crassostreae* from the Pacific oyster *Crassostrea gigas* in Europe. *Diseases of Aquatic Organisms* 80:229-234.
- Engelsma, M. Y. (2010) Verslag monitoring oester herpesvirus 2010. Resultaten van onderzoek naar de aanwezigheid van oester herpesvirus in Japanse oesters van het Grevelingenmeer en de Oosterschelde, CVI-report 10/CVI0378, Lelystad, The Netherlands.
- Eschweiler, N., Christensen, H. T. (2011) Trade-off between increased survival and reduced growth for blue mussels living on Pacific oyster reefs. *Journal of Experimental Marine Biology and Ecology* 403:90-95.
- Estoup, A., Wilson, I. J., Sullivan, C., Cornuet, J. M., Moritz, C. (2001) Inferring population history from microsatellite and enzyme data in serially introduced cane toads, *Bufo marinus*. *Genetics* 159:1671-1687.
- Ezgeta-Balić, D., Lojen, S., Dolenc, T., Žvab Rožič, P., Dolenc, M., Najdek, M., Peharda, M. (2014) Seasonal differences of stable isotope composition and lipid content in four bivalve species from the Adriatic Sea. *Marine Biology Research* 10:625-364.

## F

- Faasse, M., Ligthart, M. (2007) The American oyster drill, *Urosalpinx cinerea* (Say, 1822), introduced to The Netherlands — increased risks after ban on TBT? *Aquatic Invasions* 2:402-406.
- Facon, B., Genton, B. J., Shykoff, J., Jarne, P., Estoup, A., David, P. (2006) A general eco-evolutionary framework for understanding bioinvasions. *Trends in Ecology and Evolution* 21:130-135.
- Falk-Petersen, J., Bøhn, T., Sandlund, O. T. (2006) On the numerous concepts in invasion biology. *Biological Invasions* 8:1409-1424.
- Farrapeira, C. M. R., Marrocos de Melo, A. V., Barbosa, D. F. (2008) Introduction of *Loxothylacus panopaei* (Cirripedia: Rhizocephala), a marine non-indigenous parasitic castrator in estuarine area of Recife, Pernambuco, Brazil. *Biociências* 16:157-159.
- Feis, M. E., Goedknecht, M. A., Thielges, D. W., Buschbaum, C., Wegner, K. M. (2016) Biological invasions and host-parasite co-evolution: different coevolutionary trajectories along separate parasite invasion fronts. *Zoology* 119:366-374.
- Fenton, A., Viney, M. E., Lello, J. (2010) Detecting interspecific macroparasite interactions from ecological data: patterns and process. *Ecology Letters* 13:606-615.
- Fenton, A., Knowles, S. C. L., Petchey, O. L., Pedersen, A. B. (2014) The reliability of observational approaches for detecting interspecific parasite interactions: comparison with experimental results. *International Journal for Parasitology* 44:437-445.
- Fenton, A., Streicker, D. G., Petchey O. L., Pedersen, A. B. (2015) Are all hosts created equal? Partitioning host species contributions to parasite persistence in multihost communities. *The American Naturalist* 186:612-622.
- Fey, S. B., Siepielski, A. M., Nussle, S., Cervantes-Yoshida, K., Hwan, J. L., Huber, E. R., Fey, M. J., Catenazzi, A., Carlson, S. M. (2015) Recent shifts in the occurrence, cause, and magnitude of animal mass mortality events. *Proceedings of the National Academy of Sciences* 112: 1083-1088.
- Figueras, A. J., Jardon, C. F., Caldas, J. R. (1991) Diseases and parasites of rafted mussels (*Mytilus galloprovincialis* Lmk): preliminary results. *Aquaculture* 99:17-33.

- Fingerut, J. T., Zimmer, C. A., Zimmer, R. K. (2003) Patterns and processes of larval emergence in an estuarine parasite system. *Biological Bulletin* 205:110-120.
- Fleming, N. E. C., Harrod, C., Griffin, D. C., Newton, J. (2014) Scyphozoan jellyfish provide short-term reproductive habitat for hyperiid amphipods in a temperate near-shore environment. *Marine Ecology Progress Series* 510:229-240.
- Focken, U., Becker, K. (1998) Metabolic fractionation of stable carbon isotopes: implication of different proximate compositions for studies of the aquatic food webs using  $\delta^{13}\text{C}$  data. *Oecologia* 115:337-343.
- Folmer, E. O., Drent, J., Troost, K., Büttger, H., Dankers, N., Jansen, J., van Stralen, M., Millat, G., Herlyn, M., Philippart, C. J. M. (2014) Large-scale spatial dynamics of intertidal mussel (*Mytilus edulis* L.) bed coverage in the German and Dutch Wadden Sea. *Ecosystems* 17:550-566.
- Folmer, E. O., van Beusekom, J. E. E., Dolch, T., Gräwe, U., Katwijk, M. M., Kolbe, K., Philippart, C. J. M. (2016) Consensus forecasting of intertidal seagrass habitat in the Wadden Sea. *Journal of Applied Ecology* 53:1800-1813.
- Fournier, D. A., Skaug, H. J., Ancheta, J., Ianelli, J., Magnusson, A., Maunder, M., Nielsen, A., Sibert, J. (2012) AD Model Builder: using automatic differentiation for statistical inference of highly parameterized complex nonlinear models. *Optimization Methods and Software* 27:233-249.
- France, R. L., Peters, R. H. (1997) Ecosystem differences in the trophic enrichment of  $^{13}\text{C}$  in aquatic food webs. *Canadian Journal of Fisheries and Aquatic Sciences* 54:1255-1258.
- Fredensborg, B. L., Mouritsen, K. N., Poulin, R. (2004) Intensity-dependent mortality of *Paracalliope novizealandiae* (Amphipoda: Crustacea) infected by a trematode: experimental infections and field observations. *Journal of Experimental Marine Biology and Ecology* 311:253-265.
- Friedman, C. S., Wight, N., Crosson, L. M., VanBlaricom, G. R., Lafferty, K. D. (2014) Reduced disease in black abalone following mass mortality: phage therapy and natural selection. *Frontiers in Microbiology* 5:1-10.
- Fritts, M. W., Fritts, A. K., Carleton, S. A., Bringolf, R. B. (2013) Shifts in stable-isotope signatures confirm parasitic relationship of freshwater mussel *Glochidia* attached to host fish. *Journal of Molluscan Studies* 79:163-167.
- Fry, B. (2006) Stable isotope ecology. Springer, Berlin, Germany.
- Fujita, T. (1925) Études sur les parasites de l'huître comestible du Japon, *Ostrea gigas* Thunberg. Traduction accompagnée de notes, de diagnoses et d'une bibliographie par Robert-PH. Dollfus. *Annales de Parasitologie Humaine et Comparée* 3:37-59.
- Fuyija, M. (1970) Oyster farming in Japan. *Helgoländer Meeresuntersuchungen* 20:464-479.

## G

- Gaither, M. R., Aeby, G., Vignon, M., Meguro, Y., Rigby, M., Runyon, C., Toonen, R. J., Wood, C. L., Bowen, B.W. (2013) An invasive fish and the time-lagged spread of its parasite across the Hawaiian Archipelago. *PLoS One* 8, e56940, doi:10.1371/journal.pone.0056940.
- Galaktionov, K. V., Bustnes, J. O. (1999) Distribution patterns of marine bird digenean larvae in periwinkles along the southern coast of the Barents Sea. *Diseases of Aquatic Organisms* 37:221-230.
- Galaktionov, K. V., Bustnes, J. O., Bårdsen, B.-J., Wilson, J. G., Nikolaev, K. E., Sukhotin, A. A., Skírnisson, Saville, D. H., Ivanov, M. V., Regel, K. V. (2015) Factors influencing the

- distribution of trematode larvae in blue mussels *Mytilus edulis* in the North Atlantic and Arctic Oceans. *Marine Biology* 162:193-206.
- Galil, B. S., Lützen, J. (1995) Biological observations on *Heterosaccus dollfusi* Boschma (Cirripedia: Rhizocephala), a parasite of *Charybdis longicollis* Leene (Decapoda: Brachyura), a Lessepsian migrant to the Mediterranean. *Journal of Crustacean Biology* 15:659-670.
- Galil, B. S., Innocenti, G. (1999) Notes on the population structure of the portunid crab *Charybdis longicollis* Leene, parasitized by the rhizocephalan *Heterosaccus dollfusi* Boschma, off the Mediterranean coast of Israel. *Bulletin of Marine Science* 64:451-463.
- Gaughan, D. J., Mitchell, R. W., Blight, S. J. (2000) Impact of mortality, possibly due herpesvirus, on pilchard *Sardinops sagax* stocks along the south coast of Western Australia in 1998-99. *Marine and Freshwater Research* 51:601-612.
- Gee, J. M., Davey, J. T. (1986a) Stages in the life history of *Mytilicola intestinalis* STEUER, a copepod parasite of *Mytilus edulis* (L.), and the effect of temperature on their rates of development. *ICES Journal of Marine Science* 42:254-264.
- Gee, J. M., Davey, J. T. (1986b) Experimental studies on the infestations of *Mytilus edulis* (L.) by *Mytilicola intestinalis* Steuer (Copepoda, Cyclopoida). *Journal du Conseil International pour l'Éxploration de la Mer* 42:265-271.
- Georgiev, B. B., Sánchez, M. I., Vasileva, G. P., Nikolov, P. N., Green, A. J. (2007) Cestode parasitism in invasive and native brine shrimps (*Artemia* spp.) as a possible factor promoting the rapid invasion of *A. franciscana* in the Mediterranean region. *Parasitology Research* 101:1647-1655.
- Georgiev, B. B., Anglov, A., Vasileva, G. P., Sánchez, M. I., Hortas, F., Mutafchiev, Y., Pankov, P., Green, A. J. (2014) Larval helminths in the invasive American brine shrimp *Artemia franciscana* throughout its annual cycle. *Acta Parasitology* 59:380-389.
- Gittenberger, A., Rensing, M., Dekker, R., Niemantsverdriet, P., Schrieken, N., Stegenga, H. (2015) Native and non-native species of the Dutch Wadden Sea in 2014. GiMaRIS Report nr.: 2015\_08.
- Gittenberger, A., Voorbergen-Laarman, M. A., Engelsma, M. Y. (2015) Ostreid herpesvirus OshV-1  $\mu$ Var in Pacific oysters *Crassostrea gigas* (Thunberg 1793) of the Wadden Sea, a UNESCO world heritage site. *Journal of Fish Diseases* 39:105-109.
- Goater, C. P., Weber, A. E. (1996) Factors affecting the distribution and abundance of *Mytilicola orientalis* (Copepoda) in the mussel, *Mytilus trossulus*, in Barkley Sound, B.C. *Journal of Shellfish Research* 15:681-684.
- Goater, T. M., Goater, C. P., Esch, G. W. (2013) Parasitism: the diversity and ecology of animal parasites. Cambridge University Press, Cambridge, UK.
- Goedknecht, M. A., Welsh, J. E., Drent, J., Thieltges, D. W. (2015) Climate change and parasite transmission: how temperature can decrease parasite infectivity via increased predation on infective stages. *Ecosphere* 6:96, doi: 10.1890/ES15-00016.1.
- Goedknecht, M. A., Feis, M. E., Wegner, K. M., Luttkhuizen, P. C., Buschbaum, C., Camphuysen, K. (C. J.), van der Meer, J., Thieltges, D. W. (2016) Parasites and marine invasions: Ecological and evolutionary perspectives. *Journal of Sea Research* 113:11-27.
- Goedknecht, M. A., Schuster, A.-K., Buschbaum, C., Gergs, R., Jung, A. S., Luttkhuizen, P. C., van der Meer, J., Troost, K., Wegner, K. M., Thieltges, D. W. (2017) Spillover but no spillback of two invasive parasitic copepods from invasive Pacific oysters (*Crassostrea gigas*) to native bivalve hosts. *Biological Invasions* 19:365-379.

- Gomez-Diaz, E., Gonzalez-Solis, J. (2010) Trophic structure in a seabird host-parasite food web: Insights from stable isotope analysis PLoS ONE 5: e10454, doi:10.1371/journal.pone.0010454
- Gotto, V. (2004) Commensal and parasitic copepods associated with marine invertebrates. In: Synopses of the British Fauna (new series) no. 46, 2nd edn, Linnean Society of London and the Estuarine and Coastal Sciences Association by Field Studies Council, Shrewsbury, UK.
- Goud, J., Titselaar, F. F. L. M., Mulder, G. (2008) Weer een “verstekeling”: de Japanse Stekelhoren *Ocinebrellus inornatus* (Récluz, 1851) (Gastropoda, Muricidae) levend aangetroffen in de Oosterschelde. *Spirula* 365:134-136.
- Grabowski, J. H. (2004) Habitat complexity disrupts predator-prey interactions but not the trophic cascade on oyster reefs. *Ecology* 85:995-1004.
- Grainger, J. N. (1951) Notes on the biology of the copepod *Mytilicola intestinalis* Steuer. *Parasitology* 41:135-142.
- Gräwe, U., Flöser, G., Gerkema, T., Duran-Matute, M., Badewien, T. H., Schulz, E., Burchard, H. (2016) A numerical model for the entire Wadden Sea: Skill assessment and analysis of hydrodynamics. *Journal of Geophysical Research: Oceans* 121:5231-5251.
- Gresty, K. A., Quarmby, C. (1991) The trophic level of *Mytilicola intestinalis* Steuer (Copepoda: Poecilostomatoida) in *Mytilus edulis* L. as determined from stable isotope analysis. *Bulletin of the Plankton Society of Japan Special Volume* 363-371.
- Grizel, H. (1985) *Mytilicola orientalis* MORI, parasitism parasitose a *Mytilicola orientalis*. MORI. In: Sindermann, D. J. (ed) Fiches d'identification des maladies et parasites des poissons, crustacés et mollusques. Conseil International pour l'Exploration de la Mer, Copenhagen, Denmark 24:1-4.
- Grosholz, E. (2002) Ecological and evolutionary consequences of coastal invasions. *Trends in Ecology and Evolution* 17:22-27.

## H

- Hadfield, J. D. (2010) MCMC methods for multi-response generalized linear mixed models: the MCMCglmm R package. *Journal of Statistical Software* 33:1-22.
- Hadfield, J.D., Nakagawa, S. (2010) General quantitative genetic methods for comparative biology: phylogenies, taxonomies and multi-trait models for continuous and categorical characters. *Journal of Evolutionary Biology* 23:494-508.
- Hall, T. A. (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series* 41:95-98.
- Hanley, T. C., La Pierre, K. J. (eds) (2015) *Trophic ecology: bottom-up and top-down interactions across aquatic and terrestrial systems*. Cambridge University Press, Cambridge, UK.
- Hare, P. E., Fogel, M. L., Stafford Jr., T. W., Mitchell, A. D., Hoering, T. C. (1991) The isotopic composition of carbon and nitrogen in individual amino acids isolated from modern and fossil proteins. *Journal of Archaeological Science* 18:277-292.
- Harms, J., Anger, K. (1983) Seasonal, annual and spatial variation in the development of hard bottom communities. *Helgoländer Meeresuntersuchungen* 36:137-150.
- Harvell, C. D., Kim, K., Burkholder, J. M., Colwell, R. R., Epstein, P. R., Grimes, D. J., Hofmann, E. E., Lipp, E. K., Osterhaus, A. D. M. E., Overstreet, R. M., Porter, J. W., Smith, G. W., Vasta, G. R. (1999) Emerging marine diseases — climate links and anthropogenic factors. *Science* 285:1504-1510.

- Harvey, P. H., Pagel, M. D. (1998) The comparative method in evolutionary biology. Oxford University Press, Oxford, UK.
- Hatcher, M. J., Dick, J. T. A., Dunn, A. M. (2006) How parasites affect interactions between competitors and predators. *Ecology Letters* 9:1253-1271.
- Hatcher, M. J., Dick, J. T. A., Dunn, A. M. (2012) Disease emergence and invasions. *Functional Ecology* 26:1275-1287.
- Hayward, C. J., Iwashita, M., Ogawa, K., Ernst, I. (2001a) Global spread of the eel parasite *Gyrodactylus anguillae* (Monogenea). *Biological Invasions* 3:417-424.
- Hayward, C. J., Iwashita, M., Crane, J. S., Ogawa, K. (2001b) First report of the invasive eel pest *Pseudodactylogyrus bini* in North America and in wild American eels. *Diseases Aquatic Organisms* 44:53-60.
- Hechinger, R. F., Lafferty, K. D. (2005) Host diversity begets parasite diversity: bird final hosts and trematodes in snail intermediate hosts. *Proceedings of the Royal Society B: Biological Sciences* 272:1059-1066.
- Hechinger, R. F. (2007) Annotated key to the trematode species infecting *Batillaria attramentaria* (Prosobranchia: Batillariidae) as first intermediate host. *Parasitology International* 56:287-296.
- Hedrick, R. P., McDowell, T. S., Mukkatira, K., Georgiadis, M. P. (1999) Susceptibility of selected inland salmonids to experimentally induced infections with *Myxobolus cerebralis*, the causative agent of whirling disease. *Journal of Aquatic Animal Health* 11:330-339.
- Hein, J. L., Arnott, S. A., Roumillat, W. A., Allen, D. M., de Buron, I. (2014) Invasive swim bladder parasite *Anguillicoloides crassus*: infection status 15 years after discovery in wild populations of American eel *Anguilla rostrata*. *Diseases of Aquatic Organisms* 17:199-209.
- Hellard, E., Fouchet, D., Vavre, F., Pontier, D. (2015) Parasite-parasite interactions in the wild: How to detect them? *Trends in Parasitology* 31:640-652.
- Hemmingsen, W., Jansen, P. A., MacKenzie, K. (2005) Crabs, leeches and trypanosomes: an unholy trinity? *Marine Pollution Bulletin* 50:336-339.
- Hepper, B. T. (1953) Artificial infection of various molluscs with *Mytilicola intestinalis*, *Steuer Nature* 172:250.
- Hershberger, P. K., van der Leeuw, B. K., Gregg, J. L., Grady, C. A., Lujan, K. M., Gutenberger, S. K., Purcell, M. K., Woodson, J. C., Winton, J. R., Parsley, M. J. (2010) Amplification and transport of an endemic fish disease by an introduced species. *Biological Invasions* 12:3665-3675.
- Hines, A. H., Alvarez, F., Reed, S. A. (1997) Introduced and native populations of a marine castrator: variation in prevalence of the rhizocephalan *Loxothylacus panopaei* in xanthid crabs. *Bulletin of Marine Sciences* 61:197-214.
- His, E. (1977) Observations préliminaires sure la présence de *Mytilicola orientalis* Mori (1935) chez *Crassostrea gigas* Thunberg dans le Bassin D'Arcachon. *Bulletin de la Société de Géologique de Normandie et des amis du muséum du Havre* 64:7-8.
- His, E. (1979) Mytilicolides et mycolides parasites des lamellibranches d'interet commercial du bassin d'Arcachon. *Haliotis* 8:99-102.
- Ho, J-S., Kim, I-H. (1992) Copepod parasites of Gastropoda from Korea. *The Korean Journal of Zoology* 35:240-255.
- Hobson, K. A. (1986) Use of stable-carbon isotope analysis to estimate marine and terrestrial protein content in gull diets. *Canadian Journal of Zoology* 65:1210-1213.
- Hobson, K. A., Clark, R. G. (1992) Assessing avian diets using stable isotopes II: Factors influencing diet-tissue fractionation. *The Condor* 94:189-197.

- Hockley, A. R. (1951) On the biology of *Mytilicola intestinalis* (Steuer). Journal of the Marine Biological Association of the UK 30:223-232.
- Holdich, D. M., Reeve, I. D. (1991) Distribution of freshwater crayfish in the British Isles, with particular reference to crayfish plague, alien introductions and water quality. Aquatic Conservation: Marine and Freshwater Ecosystems 1:139-158.
- Holmes, J. M. C., Minchin, D. (1995) Two exotic copepods imported into Ireland with the Pacific Oyster *Crassostrea gigas* (Thunberg). Irish Naturalists Journal 25:17-20.
- Holt, R. D., Pickering, J. (1985) Infectious-disease and species coexistence — a model of Lotka-Volterra form. The American Naturalist 126:196-211.
- Hoshina, T., Ogino, C. (1951) Studien über *Gymnophalloides tokiensis* Fijita, 1925. I. Über die Einwirkung der larvalen Trematoda auf die chemische Komponente und das Wachstum von *Ostrea gigas* Thunberg. Journal of the Tokyo University of Fisheries 38:335-350.
- Hughes, A. R., Grabowski, J. H. (2006) Habitat context influences predator interference interactions and the strength of resource partitioning. Oecologia 149:256-264.
- Hussey, N. E., MacNeil, M. A., McMeans, B. C., Olin, J. A., Dudley, S. F. J., Cliff, G. C., Wintner, S. P., Fennessy, S. T., Fisk, A. T. (2010) Rescaling the trophic structure of marine food webs. Ecology Letters 17:239-250.
- Hyatt, A. D., Hine, P. M., Jones, J. B., Whittington, R. J., Kearns, C., Wise, T. G., Crane, M. S., Williams, L. M. (1997) Epizootic mortality in the pilchard *Sardinops sagax neopilchardus* in Australia and New Zealand in 1995. II. Identification of a herpesvirus within the gill epithelium. Diseases of Aquatic Organisms 28:17-29.

## I

- Iken, K., Brey, T., Wand, U., Voigt, J., Junghans, P. (2001) Food web structure of the benthic community at the Porcupine Abyssal Plain (NE Atlantic): a stable isotope analysis. Progress in Oceanography 50:383-405.
- Inger, R., Ruxton, G. D., Newton, J., Colhoun, K., Robinson, J. A., Jackson, A. L., Bearhop, S. (2006) Temporal and intrapopulation variation in prey choice of wintering geese determined by stable isotope analysis. Journal of Animal Ecology 75:1190-1200.
- Innocenti, G., Galil, B. S. (2007) *Modus vivendi*: invasive host/parasite relations—*Charybdis longicollis* Leene, 1938 (Brachyura: Portunidae), and *Heterosaccus dollfusi* Boschma, 1960 (Rhizocephala: Sacculinidae). Hydrobiologia 590:95-101.
- Innocenti, G., Galil, B. S., Yokes, M. B., Diamant, A., Goren, M. (2009) Here and there: a preliminary note on the prevalence of an alien rhizocephalan parasite at the southern and northern limits of its introduced range. Journal of Parasitology 95:1387-1390.
- Itoh, N., Komiyama, H., Ueki, N., Ogawa, K. (2004) Early developmental stages of a protozoan parasite, *Marteilioides chungmuensis* (Paramyxia), the causative agent of the ovary enlargement disease in the Pacific oyster, *Crassostrea gigas*. International Journal for Parasitology 34:1129-1135.

## J

- Jackson, L. E., Levine, J. F., Hilborn, E. D. (2006) A comparison of analysis units for associating Lyme disease with forest-edge habitat. Community Ecology 7:189-197.
- Johnsen, B. O., Jensen, A. J. (1991) The *Gyrodactylus* story in Norway. Aquaculture 98:289-302.
- Johnson, M. W. (1957) The copepod *Choniosphaera cancrorum* parasitizing a new host, the green crab *Carcinus maenas*. Journal of Parasitology 43:470-473.

- Johnson, P. T. J., Dobson, A., Lafferty, K. D., Marcogliese, D. J., Memmott, J., Orlofske, S. A., Poulin, R., Thieltges, D. W. (2010) When parasites become prey: ecological and epidemiological significance of eating parasites. *Trends in Ecology and Evolution* 25:362-371.
- Johnson, P. T. J., Thieltges, D. W. (2010) Diversity, decoys and the dilution effect: how ecological communities affect disease risk. *Journal of Experimental Biology* 213:961-970.
- Jones, C. G., Lawton, J. H., Shachak, M. (1994) Organisms as ecosystem engineers. *Oikos* 69:373-386.
- Jones, J. B., Hyatt, A. D., Hine, P. M., Whittington, R. J., Griffin, D. A., Bax, N. J. (1997a) Special topic review: Australasian pilchard mortalities. *World Journal of Microbiology and Biotechnology* 13:383-392.
- Jones, C. G., Lawton, J. H., Shachak, M. (1997b) Positive and negative effects of organisms as physical ecosystem engineers. *Ecology* 78:1946-1957.

## K

- Kang, C.-K., Lee, Y.-W., Choy, E. J., Shin, J.-K., Seo, I.-S., Hong, J. S. (2006) Microphytobenthos seasonality determines growth and reproduction in intertidal bivalves. *Marine Ecology Progress Series* 315:113-127.
- Katkansky, S. C., Sparks, A. K., Chew, K. K. (1967) Distribution and effects of the endoparasitic copepod, *Mytilicola orientalis* on the Pacific oyster, *Crassostrea gigas*, on the Pacific coast. *Proceedings of the National Shellfisheries Association* 57:50-58.
- Keane, R. M., Crawley, M. J. (2002) Exotic plant invasions and the enemy release hypothesis. *Trends in Ecology and Evolution* 17:164-170.
- Keesing, F., Holt, R. D., Ostfeld, R. S. (2006) Effects of species diversity on disease risk. *Ecology Letters* 9:485-498.
- Kelehear, C., Brown, G. P., Shine, R. (2012) Rapid evolution of parasite life history traits on an expanding range-edge. *Ecology Letters* 15:329-337.
- Kelly, D. W., Paterson, R. A., Townsend, C. R., Poulin, R., Tompkins, D. M. (2009) Parasite spillback: a neglected concept in invasion ecology? *Ecology* 90:2047-2056.
- Kent, R. M. L. (1979) The influence of heavy infestations of *Polydora ciliata* on the flesh content of *Mytilus edulis*. *Journal of the Marine Biological Association of the UK* 59:289-297.
- Kent, R. M. L. (1981) The effect of *Polydora ciliata* on the shell strength of *Mytilus edulis*. *Journal du Conseil International pour l'Exploration de la Mer* 39:252-255.
- Kent, M. L. (2000) Marine netpen farming leads to infections with some unusual parasites. *International Journal of Parasitology* 30:321-326.
- Kijewski, T., Śmietanka, B., Zbawicka, M., Gosling, E., Hummel, H., Wenne, R. (2011) Distribution of *Mytilus* taxa in European coastal areas as inferred from molecular markers. *Journal of Sea Research* 65:224-234.
- Kirk, R. S. (2003) The impact of *Anguillicola crassus* on European eels. *Fisheries Management and Ecology* 10:385-394.
- Knopf, K., Manke, M. (2004) Differences in susceptibility of the European eel (*Anguilla anguilla*) and the Japanese eel (*Anguilla japonica*) to the swim-bladder nematode *Anguillicola crassus*. *Parasitology* 129:491-496.
- Knowlton, N. (1993) Sibling species in the sea. *Annual Review of Ecology and Systematics* 24:189-216.
- Knowlton N., Weigt L. A. (1998) New dates and new rates for divergence across the Isthmus of Panama. *Proceedings of the Royal Society of London B* 265:2257-2263.



- Koganezawa, A. (1975) Present status of studies on the mass mortality of cultured oysters in Japan and its prevention. In: Fukataki H (ed) Proc 3rd 1041 U.S.-Japan Meeting on Aquaculture, Tokyo, Oct 15-16, 1974. Japan Fishery Agency and Japan Regional Fisheries Research Laboratory, Niigata, pp 29-34.
- Köhler P., Voigt W. P. (1988) Nutrition and metabolism. In: Melhorn, H. (ed) Parasitology in focus: facts and trends, Springer-Verlag, Berlin, Germany, pp 412-453.
- Køie, M. (1991) Swimbladder nematodes (*Anguillicola* spp.) and gill monogeneans (*Pseudodactylogyryus* spp.) parasitic in the European eel (*Anguilla anguilla*). Journal du Conseil International pour l'Exploration de la Mer 47:391-398.
- Kolar, C. S., Lodge, D. M. (2001) Progress in invasion biology: predicting invaders. Trends in Ecology and Evolution 16:199-204.
- Koprivnikar, J., Poulin, R. (2009) Effects of temperature, salinity, and water level on the emergence of marine cercariae. Parasitology Research 105:957-965.
- Korringa, P. (1950) De aanval van de parasiet *Mytilicola intestinalis* op de Zeeuwse Mosselcultuur. Visserij Nieuws 3:1-7.
- Korringa, P. (1952) Epidemiological observations on the mussel parasite *Mytilicola intestinalis* Steuer, carried out in the Netherlands. Annals of Biology 8:182-185.
- Korringa, P. (1968) On the ecology and distribution of the parasitic copepod *Mytilicola intestinalis* Steuer. Bijdragen tot de Dierkunde 38:47-57.
- Krakau, M., Thielges, D. W., Reise, K. (2006) Native parasites adopt introduced bivalves of the North Sea. Biological Invasions 8:919-925.
- Kuris, A. M., Hechinger, R. F., Shaw, J. C., Whitney, K. L., Aguirre-Macedo, L., Boch, C. A., Dobson, A. P., Dunham, E. J., Fredensborg, B. L., Huspeni, T. C., Lorda, J., Mababa, L., Mancini, F. T., Mora, A. B., Pickering, M., Talhouk, N. L., Torchin, M. E., Lafferty, K. D. (2008) Ecosystem energetic implications of parasite and free-living biomass in three estuaries. Nature 454:515-518.
- Kvach, Y., Skóra, K. E. (2007) Metazoan parasites of the invasive round goby *Apollonia melanostoma* (*Neogobius melanostomus*) (Pallas) (Gobiidae: Osteichthyes) in the Gulf of Gdansk, Baltic Sea, Poland: a comparison with the Black Sea. Parasitology Research 100: 767-774.

## L

- Lacoste, A., Jalabert, F., Malham, S., Cueff, A., Gélébart, F., Cordevant, C., Lange, M., Poulet, S. A. (2001). A *Vibrio splendidus* strain is associated with summer mortality of juvenile oysters *Crassostrea gigas* in the Bay of Morlaix (North Brittany, France). Diseases of Aquatic Organisms 46:139-145.
- Lafferty, K. D., Kuris, A. M. (1996) Biological control of marine pests. Ecology 77:1989-2000.
- Lafferty, K. D., Kuris, A. M. (2002) Trophic strategies, animal diversity and body size. Trends in Ecology and Evolution 17:507-13.
- Lafferty, K. D., Smith, K. F., Torchin, M. E., Dobson, A. P., Kuris, A. M. (2005) The role of infectious diseases in natural communities. What introduced species tell us. In: Sax, D. F. (ed) Species invasions: Insights into ecology, evolution and biogeography. Sinauer Associates Inc., Sunderland, USA, pp 111-134.
- Lafferty, K. D., Dobson, A. P., Kuris, A. M. (2006) Parasites dominate food web links. Proceedings of the National Academy of Sciences 103:11211-11216.

- Lafferty, K. D., Allesina, S., Arim, M., Briggs, C. J., De Leo, G., Dobson, A. P., Dunne, J. A., Johnson, P. J., Kuris, A. M., Marcogliese, D. J., Martinez, N. D., Memmott, J., Marquet, P. A., McLaughlin, P., Mordecai, E. A., Pascual, M., Poulin, R., Thielctges, D. W. (2008) Parasites in food webs: the ultimate missing links. *Ecology Letters* 11:533-546.
- Lafferty, K. D., Kuris, A. M. (2009) Parasites reduce food web robustness because they are sensitive to secondary extinction as illustrated by an invasive estuarine snail. *Philosophical Transactions of the Royal Society B* 364:1659-1663.
- Lahti, D. C., Johnson, N. A., Ajie, B. C., Otto, S. P., Hendry, A. P., Blumstein, D. T., Coss, R. G., Donohue, K., Foster, S. A. (2009) Relaxed selection in the wild. *Trends in Ecology and Evolution* 24:487-496.
- Lahvis, G. P., Wells, R. S., Kuehl, D. W., Stewart, J. L., Rhinehart, H. L., Via, C. S. (1995) Decreased lymphocyte responses in free-ranging bottlenose dolphins (*Tursiops truncatus*) are associated with increased concentrations of PCBs and DDT in peripheral blood. *Environmental Health Perspectives* 103:67-72.
- Langellotto (2006) Assessing trophic interactions in a guild of primary parasitoids and facultative hyperparasitoids: stable isotope analysis. *Oecologia* 150:291-299.
- Lauckner G (1983) Diseases of Mollusca: Bivalvia. In: Kinne, O. (ed) Diseases of marine animals. Biologische Anstalt Helgoland, Hamburg, Germany, pp 477-1083.
- Lauckner, G. (1984) Impact of trematode parasitism on the fauna of a North Sea tidal flat. *Helgoländer Meeresuntersuchungen* 37:185-199.
- Lauckner, G. (1985) Diseases of Aves (marine birds). In: Kinne, O. (ed) Diseases of marine animals. Biologische Anstalt Helgoland, Hamburg, Germany, pp 627-637.
- Layman, C. A., Araujo, M. S., Boucek, R., Hammerschlag-Peyer, C. M., Harrison E, Jud, Z. R., Matich P., Rosenblatt, A. E., Vaudo, J. J., Yeager, L. A., Post, D. M., Bearhop, S. (2012) Applying stable isotopes to examine food-web structure: an overview of analytical tools. *Biological Reviews* 87:545-562.
- Lazzaro, B. P., Little, T. J. (2009) Immunity in a variable world. *Philosophical Transactions of the Royal Society B* 364:15-26.
- Lee, C. E. (2002) Evolutionary genetics of invasive species. *Trends in Ecology and Evolution* 17: 386-391.
- Lefèvre, T., Roche, B., Poulin, R., Hurd, H., Renaud, F., Thomas, F. (2008) Exploiting host compensatory responses: the “must” of manipulation? *Trends in Parasitology* 24:435-439.
- Lenoir, J., Swenning, J.-C. (2014) Climate-related range shifts - a global multidimensional synthesis and new research directions. *Ecography* 37:001-014.
- Lewicki, K. E., Huyvaert, K. P., Piaggio, A. J., Diller, L. W., Franklin, A. B. (2015) Effects of barred owl (*Strix varia*) range expansion on Haemoproteus parasite assemblage dynamics and transmission in barred and northern spotted owls (*Strix occidentalis caurina*). *Biological Invasions* 17:1713-1727.
- Li, H., Zhang, X. M., Zheng, R. S., Li, X., Elmer, W. H., Wolfe, L. M. (2014) Indirect effects of non-native *Spartina alterniflora* and its fungal pathogen (*Fusarium palustre*) on native saltmarsh plants in China. *Journal of Ecology* 102:112-1119.
- Lockwood, J. L., Hoopes, M. F., Marchetti, M. P. (2013) *Invasion ecology*. Wiley-Blackwell, West Sussex, UK.
- Lowe, S., Browne, M., Boudjelas, S., De Poorter, M. (2000) 100 of the world’s worst invasive alien species: a selection from the global invasive species database. Invasive Species Specialist Group, Auckland, New Zealand.

- Lucek, K., Sivasundar, A., Seehausen, O. (2014) Disentangling the role of phenotypic plasticity and genetic divergence in contemporary ecotype formation during a biological invasion. *Evolution* 68:2619-2632.
- Luttikhuisen, P. C., Campos, J., van Bleijswijk, J., Peijnenburg, K. T. C. A., van der Veer, H. (2008) Phylogeography of the common shrimp, *Crangon crangon* (L.) across its distribution range. *Molecular Phylogenetics and Evolution* 46:1015-1030.
- Luttikhuisen, P. C., Dekker, R. (2010) Pseudo-cryptic species *Arenicola defodiens* and *Arenicola marina* (Polychaeta: Arenicolidae) in Wadden Sea, North Sea and Skagerrak: Morphological and molecular variation. *Journal of Sea Research* 63:17-23.
- Lymbery, A. J., Morine, M., Kanani, H. G., Beatty, S. J., Morgan, D. L. (2014) Co-invaders: the effects of alien parasites on native hosts. *International Journal of Parasitology: Parasites and Wildlife* 3:171-177.
- Lynch, S. A., Carlsson, J., Reilly, A. O., Cotter, E., Culloty, C. (2012) A previously undescribed ostreid herpes virus 1 (OsHV-1) genotype detected in the Pacific oyster, *Crassostrea gigas*, in Ireland. *Parasitology* 139:1526-1532.

## M

- Mack, R. N., Simberloff, D., Lonsdale, W. M., Evans, H., Clout, M., Bazzaz, F. A. (2000) Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* 10:689-710.
- Manchenko, G. P., Radashevsky, V. I. (1998) Genetic evidence for two sibling species within *Polydora cf. ciliata* (Polychaeta: Spinidae) from the Sea of Japan. *Marine Biology* 131:489-495.
- Marcogliese, D. J., Cone, D. K. (1997) Food webs: a plea for parasites. *Trends in Ecology and Evolution* 12:320-325.
- Maron, J. L., Vila, M., Bommarco, R., Elmendorf, S., Beardsley, P. (2004) Rapid evolution of an invasive plant. *Ecological Monographs* 74:261-280.
- Martin, W. E. (1972) An annotated key to the cercariae that develop in the snail *Cerithidea californica*. *Bulletin of the Southern California Academy of Sciences* 71:39-43.
- McCallum, H. I., Kuris, A., Harvell, C. D., Lafferty, K. D., Smith, G. W., Porter, J. (2004) Does terrestrial epidemiology apply to marine systems? *Trends in Ecology Evolution* 19:585-591.
- McCallum, H. I., Harvell, D., Dobson, A. (2003) Rates of spread of marine pathogens. *Ecology Letters* 6: 1062-1067.
- McCann, K. S. (2011) Food webs. In: Levin, S. A., Horn S. A. (eds) *Monographs in Population Biology*, Princeton University Press, Princeton, US, pp 1-256.
- McCarthy, S. A., McPhearson, R. M., Guarino, A. M., Gaines, J. L. (1992) Toxigenic *Vibrio cholerae* O1 and cargo ships entering Gulf of Mexico. *The Lancet* 339:624-625.
- McCarthy, S. A., Khambaty, F. M. (1994) International dissemination of epidemic *Vibrio cholerae* by cargo ship ballast and other nonpotable waters. *Applied and Environmental Microbiology* 60:2597-2601.
- McCutchan Jr, J. H., Lewis Jr, W. M., Kendall, C., McGrath, C. C. (2003) Variation in trophic shift for stable isotope ratios of carbon, nitrogen, and sulfur. *Oikos* 102:378-390.
- McGeoch, M. A., Butchart, S. H. M., Spear, D., Marais, E., Kleynhans, E. J., Symes, A., Chanson, J., Hoffmann, M. (2010) Global indicators of biological invasion: species numbers, biodiversity impact and policy responses. *Diversity and Distributions* 16:95-108.

- McIntosh, R. P. (1985) The background of ecology: concept and theory. Cambridge University Press, Cambridge, UK.
- Meyer, P.-F., Mann, H. (1950) Beiträge zur Epidemiologie und Physiologie des parasitischen Copepoden *Mytilicola intestinalis*. Archiv für Fischereiwissenschaft 2:120-134.
- Michel, C., Faivre, B., De Kinkelin, P. (1986) A clinical case of enteric redmouth in minnows (*Pimphales promelas*) imported into Europe as bait-fish. Bulletin of the European Association of Fish Pathologists 6:97-99.
- Michener, R., Lajtha, K. (eds) (2007) Stable isotopes in ecology and environmental science. Blackwell Publishing, Oxford, UK.
- Miller, A., Inglis, G. J., Poulin, R. (2006) Use of the introduced bivalve, *Musculista senhousia*, by generalist parasites of native New Zealand bivalves. New Zealand Journal of Marine and Freshwater Research 42:143-151.
- Miller, A., Vincent, R. E. (2006) Rapid natural selection for resistance to an introduced parasite of rainbow trout. Evolutionary Applications 1:336-341.
- Mimura, H., Katakura, R., Ishida, H. (2005) Changes of microbial populations in a ship's ballast water and sediments on a voyage from Japan to Qatar. Marine Pollution Bulletin 50:751-757.
- Minagawa, M., Wada, E. (1984) Stepwise enrichment of <sup>15</sup>N along food chains: further evidence and the relation between of <sup>15</sup>N and animal age. Geochimica et Cosmochimica Acta 48:1135-1140.
- Minchin, D. (1996) Management of the introduction and transfer of marine molluscs. Aquatic Conservation 6:229-244.
- Mineur, F., Provan, J., Arnott, G. (2014) Phylogeographical analyses of shellfish viruses: inferring a geographical origin for ostreid herpesviruses OsHV-1 (Malacoherpesviridae). Marine Biology 162:181-192.
- Miossec, L., Le Deuff, R.-M., Gouletquer, P. (2009) Alien species alert: *Crassostrea gigas* (Pacific oyster). ICES Cooperative Research Report 299.
- Mitchell, C. E., Power, A. G. (2003) Release of invasive plants from fungal and viral pathogens. Nature 421:625-627.
- Mitchell, S. E., Rogers, E. S., Little, T. J., Read, A. F. (2005) Host-parasite and genotype-by-environment interactions: temperature modifies potential for selection by a sterilizing pathogen. Evolution 59:70-80.
- Miura, O., Torchin, M. E., Kuris, A. M., Hechinger, R. F., Chiba, S. (2006) Introduced cryptic species of parasites exhibit different invasion pathways. Proceedings of the National Academy of Sciences 103:19818-19823.
- Moehler J., Wegner, K. M., Reise, K., Jacobsen, S. (2011) Invasion genetics of Pacific oyster *Crassostrea gigas* shaped by aquaculture stocking practices. Journal of Sea Research 66:256-262.
- Moore, M. N., Lowe, D. M., Gee, J. M. (1977) Histopathological effects induced *Mytilus edulis* by *Mytilicola intestinalis* and the histochemistry of the copepod intestinal cells. Journal du Conseil International pour l' Exploration de la Mer 38:6-11.
- Mordecai, E. A. (2013) Despite spillover, a shared pathogen promotes native plant persistence in a cheatgrass-invaded grassland. Ecology 94:2744-2753.
- Mori, T. (1935) *Mytilicola orientalis*, a new species of parasitic Copepoda. Zoological Society of Japan 47:687-693.
- Morozińska-Gogol, J. (2009) Alien species of fish parasites in the coastal lakes and lagoons of the southern Baltic. Oceanologia 51:105-115.

- Morrissey, M. B. (2016) Meta-analysis of magnitudes, differences and variation in evolutionary parameters. *Journal of Evolutionary Biology* 29:1882-1904.
- Mouritsen, K. N., Jensen, K. T. (1997) Parasite transmission between soft-bottom invertebrates: temperature mediated infection rates and mortality in *Corophium volutator*. *Marine Ecology Progress Series* 151:123-134.
- Mouritsen, K. N. (2002a) The *Hydrobia ulvae-Maritrema subdolum* association: influence of temperature, salinity, light, waterpressure and secondary host exudates on cercarial emergence and longevity. *Journal of Helminthology* 76:341-347.
- Mouritsen, K. N. (2002b) The *Hydrobia ulvae-Maritrema subdolum* association: cercarial emergence controlled by host activity. *Journal of Helminthology* 76:349-353.
- Mouritsen, K. N., McKechnie, S., Meenken, E., Toynbee, J. L., Poulin, R. (2003) Spatial heterogeneity in parasite loads in the New Zealand cockle: the importance of host condition and density. *Journal of the Marine Biological Association of the UK* 83:307-310.

## N

- Nakagawa, S., Santos, E. S. A. (2012) Methodological issues and advances in biological meta-analysis. *Evolutionary Ecology* 26:1253-1274.
- Navarro, J., Albo-Puigserver, M., Coll, M., Saez, R., Forero, M. G., Kutcha, R. (2014) Isotopic discrimination of stable isotopes of nitrogen ( $\delta^{15}\text{N}$ ) and carbon ( $\delta^{13}\text{C}$ ) in a host-specific holocephalan tapeworm. *Journal of Helminthology* 88:371-375.
- Nehring, S. (2011) NOBANIS - Invasive Alien Species Fact Sheet - *Crassostrea gigas*. - From: Online Database of the European Network on Invasive Alien Species - NOBANIS [www.nobanis.org](http://www.nobanis.org), Date of access 3/3/2017.
- Nell, J. A. (2001) The history of oyster farming in Australia. *Marine Fisheries Review* 63:14-25.
- Nikolaev, K. E., Sukhotin, A. A., Galaktionov, K. V. (2006) Patterns in infection of the White Sea blue mussels (*Mytilus edulis* L.) of different age and size with metacercariae of digenetic trematodes *Himasthla elongata* (Mehlis, 1831) (Echinostomatidae) and *Cercaria parvicaudata* Stunkard and Shaw, 1931 (Renicolidae). *Diseases of Aquatic Organisms* 71:51-58.
- Numachi, K. I., Oizimu, J., Sato, S., Imai, T. (1965) Studies on the mass mortality of the oyster in Matsushima Bay. III. The pathological changes of the oyster caused by Gram-positive bacteria and their frequency of their infection. *Bulletin of the Tohoku National Fisheries Research Institute* 25:39-48.
- Nygren, A. (2014) Cryptic polychaete diversity: a review. *Zoologica Scripta* 43:172-183.

## O

- Odlaug, O. T. (1946) The effect of the parasite *Mytilicola orientalis* on the Olympia oyster, *Ostrea lurida*. *Transactions of the American Microscopical Society* 65:311-317.
- Ogawa, K., Bondad-Reantaso, M. G., Fukudome, M., Wakabayashi, H. (1995) *Neobenedenia girellae* (Hargis, 1955) Yamaguti, 1963 (Monogenea: Capsalidae) from cultured marine fishes of Japan. *Journal of Parasitology* 81:223-287.
- O'Grodnick, J. J. (1979) Susceptibility of various salmonids to Whirling disease (*Myxosoma cerebralis*). *Transactions of the American Fisheries Society* 108:187-190.

- Oksanen, J., Blanchet, F. G., Kindt, R., Legendre, P., Minchin, P. R., O'Hara, R. B., Simpson, G. L., Solymos, P., Stevens, M. H. H., Wagner, H. H. (2013) *vegan*: Community Ecology Package. R package version 2.0-9.
- O'Shaughnessy, K. A., Harding, J. M., Burge, E. J. (2014) Ecological effects of the invasive parasites *Loxothylacus panopaei* on the flatback mud crab *Eurypanopeus depressus* with implications for estuarine communities. *Bulletin of Marine Sciences* 90:1-11.
- Ostfeld, R. S., Keesing, F. (2000) Biodiversity and disease risk: the case of Lyme disease. *Conservation Biology* 14:722-728.

## P

- Paine, R. T. (1966) Food web complexity and species diversity. *The American Naturalist* 100:65-75.
- Parker, I. M., Simberloff, D., Lonsdale, D., Goodell, K., Wonham, M., Kareiva, P. M., Williamson, M. H., Von Holle, B., Moyle, P. B., Byers, J. E., Goldwasser, L. (1999) Impact: toward a framework for understanding the ecological effects of invaders. *Biological Invasions* 1:3-19.
- Parmentier, E., Das, K. (2004) Commensal vs. parasitic relationship between Carapini fish and their hosts: some further insight through  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  measurements. *Journal of Experimental Marine Biology and Ecology* 310:47-58.
- Parnell, A. (2016) *simmr*: A Stable Isotope Mixing Model. R package version 0.3, <https://CRAN.R-project.org/package=simmr>.
- Pastenak, Z., Diamant, A., Abelson, A. (2007) Co-invasion of a Red Sea fish and its ectoparasitic monogenean, *Polylabris cf. mamaevi* into the Mediterranean: observations on *Oncomiracidium* behavior and infection levels in both seas. *Parasitology Research* 100: 721-727.
- Paterson, R. A., Townsend, C. R., Poulin, R., Tompkins, D. M. (2011) Introduced brown trout alternative acanthocephalan infections in native fish. *Journal of Animal Ecology* 80:990-998.
- Paterson, R. A., Lal, A., Dale, M., Townsend, C. R., Poulin, R., Tompkins, D. M. (2013) Relative competence of native and exotic fish hosts for two generalist native trematodes. *International Journal of Parasitology: Parasites and Wildlife* 2:136-143.
- Pearson, D. E. (2010) Trait- and density-mediated indirect interactions initiated by an exotic invasive plant autogenic ecosystem engineer. *The American Naturalist* 176:394-403.
- Peeler, E. J., Oidtmann, B. C., Midtlyng, P. J., Miossec, L., Gozlan, R. E. (2011) Non-native aquatic animal introductions have driven disease emergence in Europe. *Biological Invasions* 13: 1291-1303.
- Perdon, J., Troost, K. (2012) *Handboek monstertuigen schelpdier inventarisaties*. CVO: 12.006, IMARES, Yerseke, The Netherlands.
- Perkins, M. J., McDonald, R. A., van Veen, F. J. F., Kelly, S. D., Rees, G., Bearhop, S. (2014) Application of nitrogen and carbon stable isotopes ( $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$ ) to quantify food chain length and trophic structure. *PLoS ONE* 9: e93281, doi:10.1371/journal.pone.0093281.
- Pernet, F., Barret, J., Le Gall, P., Corporeau, Dégremont, Lagarde, F., Pépin J.-F., Keck (2012) Mass mortalities of Pacific oysters *Crassostrea gigas* reflect infectious diseases and vary with farming practices in the Mediterranean Thau lagoon, France. *Aquaculture Environment Interactions* 2:216-237.
- Persson, M. E., Larsson, P., Stenroth, P. (2007) Fractionation of  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  for Atlantic salmon and its intestinal cestode *Eubothrium crassum*. *Journal of Fish Biology* 71:441-452.

- Petersen, J. K., Bougrier, S., Smaal, A. C., Garen, P., Robert, S., Larsen, J. E. N., Brummelhuis, E. (2004) Intercalibration of mussel *Mytilus edulis* clearance rate measurements. *Marine Ecology Progress Series* 267:187-194.
- Peterson, B. J., Fry, B. (1987) Stable isotopes in ecosystem studies. *Annual Review of Ecology and Systematics* 18:293-320.
- Pfenninger, M., Schwenk, K. (2007) Cryptic animal species are homogeneously distributed among taxa and biogeographical regions. *BMC Evolutionary Biology*, 7:21, doi:10.1186/1471-2148-7-121.
- Phillips, D. L., Gregg, J. W. (2003) Source partitioning using stable isotopes: coping with too many sources. *Oecologia* 136:261-269.
- Phillips, B. L., Kelehear, C., Pizzatto, L., Brown, G. P., Barton, D., Shine, R. (2010) Parasites and pathogens lag behind their host during periods of host range advance. *Ecology* 91:872-881.
- Phillips, D. L., Inger, R., Bearhop, S., Jackson, A. L., Moore, J. W., Parnell, A. C., Semmens, B. X., Ward, E. J. (2014) Best practices for use of stable isotope mixing models in food-web studies. *Canadian Journal of Zoology* 92:823-835.
- Pietroock, M., Marcogliese, D. J. (2003) Free-living endohelminth stages: at the mercy of environmental conditions. *Trends in Parasitology* 19:293-299.
- Pimm, S. L. (1982) *Food webs*. Chapman and Hall, London, UK.
- Pinnegar, J. K., Polunin, N. V. C. (1999) Differential fractionation of  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  among fish tissues: implications for the study of trophic interactions. *Functional Ecology* 13:225-231.
- Pinnegar, J. K., Campbell, N., Polunin, N. V. C. (2001) Unusual stable-isotope fractionation patterns observed for fish host-parasite trophic relationships. *Journal of Fish Biology* 59:494-503.
- Pogoda, B., Jungblut, S., Buck, B. H., Hagen, W. (2012) Infestation of oysters and mussels by mytilicolid copepods: differences between natural coastal habitats and two offshore cultivation sites in the German Bight. *Journal of Applied Ichthyology* 28:756-765.
- Pollard, D. A. (1974) The biology of landlocked form of the normally catadromous salminiform fish *Galaxias maculatus* (Jenyns) VI. Effects of cestode and nematode parasites. *Australian Journal of Marine and Freshwater Research* 25:105-120.
- Ponsard, S., Averbuch, P. (1999) Should growing and adult animals fed on the same diet show different  $\delta^{15}\text{N}$  values? *Rapid Communication in Mass Spectrometry* 13:1305-1310.
- Post, D. M. (2002) Using stable isotopes to estimated trophic position: models, methods, and assumptions. *Ecology* 83:703-718.
- Postma, H. (1954) Hydrography of the Dutch Wadden Sea. *Archives Néerlandaises de Zoologie* 10:405-511.
- Potter, D., Lajeunesse, T. C., Saundes, G. W., Anderson, R. A. (1997) Convergent evolution masks extensive biodiversity among marine coccoid picoplankton. *Biodiversity and Conservation* 6:99-107.
- Poulin, R. (2006a) *Evolutionary Ecology of Parasites*. Princeton University Press, Princeton, US.
- Poulin, R. (2006b) Global warming and temperature-mediated increases in cercarial emergence in trematode species. *Parasitology* 132:134-151.
- Poulin, R., Morand, S. (1997) Parasite body size distributions: interpreting patterns of skewness. *International Journal of Parasitology* 27:959-964.
- Poulin, R., Paterson, R. A., Townsend, C. R., Tompkins, D. M., Kelly, D. W. (2011) Biological invasions and the dynamics of endemic diseases in freshwater ecosystems. *Freshwater Biology* 56:676-688.

- Power, A. G., Mitchell, C. E. (2004) Pathogen spillover in disease epidemics. *The American Naturalist* 164:79-89.
- Power, M., Klein, G. M. (2004) Fish host-cestode parasite stable isotope enrichment patterns in marine, estuarine and freshwater fishes from Northern Canada. *Isotopes in Environmental and Health Studies* 40:257-266.
- Prenter, J., MacNeil, C., Dick, J. T. A., Dunn, A. M. (2004) Roles of parasites in animal invasions. *Trends in Ecology and Evolution* 19:385-390.
- Prinz, K., Kelly, T. C., O'Riordan, R. M., Culloty, S. C. (2009) Non-host organisms affect transmission processes in two common trematode parasites of rocky shores. *Marine Biology* 156: 2303-2311.

## R

- R Development Core Team (2015) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>
- R Development Core Team (2016) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>.
- Reise, K. (1998) Pacific oysters invade mussel beds in the European Wadden Sea. *Senckenbergiana Maritima* 28:167-175.
- Reise, K. (2005) Coast of change: habitat loss and transformations in the Wadden Sea. *Helgoland Marine Research* 59:9-21.
- Riascos, J. M., Docmac, F., Reddin, C., Harrod, C. (2015) Trophic relationships between the large scyphomedusa *Chrysaora plocamia* and the parasitic amphipod *Hyperia curtcephala*. *Marine Biology* 162:1841-1848.
- Riisgård, H. U. (2001) On measurement of filtration rates in bivalves - the stony road to reliable data: review and interpretation. *Marine Ecology Progress Series* 211:275-291.
- Riisgård, H. U., Randløv, A. (1981) Energy budgets, growth and filtration rates in *Mytilus edulis* at different algal concentrations. *Marine Biology* 61:227-234.
- Rius, M., Turon, X., Bernardi, G., Volckaert, F. A. M., Viard, F. (2014) Marine invasion genetics: from spatio-temporal patterns to evolutionary outcomes. *Biological Invasions* 17:869-885.
- Rivera, I. N. G., Souza, K. M. C., Souze, C. P., Lopes, R. M. (2013) Free-living and plankton associated vibrios: assessment in ballastwater, harbour areas, and coastal ecosystems in Brazil. *Frontiers in Microbiology* 3:1-8.
- Roman, J. (2006) Diluting the founder effect: cryptic invasions expand a marine invader's range. *Proceedings of the Royal Society B* 273:2453-2459.
- Roman, J., Darling, J. A. (2007) Paradox lost: genetic diversity and the success of aquatic invasions. *Trends in Ecology and Evolution* 22:454-464.
- Roque, A., Carrasco, N., Andree, K. B., Lacuesta, B., Elandaloussi, L., Gairin, I., Rodgers, C. J., Furones, M. D. (2012) First report of OsHV-1 microvar in Pacific oyster (*Crassostrea gigas*) cultured in Spain. *Aquaculture* 324:303-306.
- Roth, O., Keller, I., Landis, S. H., Salzburger, W., Reusch, T.B.H. (2012) Hosts are ahead in marine host-parasite coevolutionary arms race: innate immune system adaptation in pipefish *Syngnathus typhle* against *Vibrio phylotypes*. *Evolution* 66:2528-2539.
- Ruesink, J. L., Lenihan, H. S., Trimble, A. C., Heiman, K. W., Micheli, F., Byers, J. E., Kay, M. C. (2005) Introduction of non-native oysters: ecosystem effects and restoration implications. *Annual Review of Ecology, Evolution and Systematics* 36:634-689.



Ruiz, G. M., Rawlings, T. K., Dobbs, F. C., Drake, L. A., Mullady, T., Huq, A., Colwell, R. R. (2000) Global spread of microorganisms by ships — ballast water discharged from vessels harbours a cocktail of potential pathogens. *Nature* 408:49-50.

## S

Sáez, A. G., Probert, I., Geisen, M., Quinn, P., Young, J. R., Medlin, L. K. (2003) Pseudo-cryptic speciation in coccolithophores. *Proceedings of the National Academy of Sciences* 10:7163-7168.

Sakaguchi, S. (1973) A larval tapeworm, *Tylocephalum*, in marine mosscuan shellfishes. (In Japanese; Engl. Summary). *Bulletin of the Nansei Regional Fisheries Research Laboratory* 6:1-8.

Sánchez, M. I., Rode, N. O., Flaven, E., Redón, S., Amat, F., Vasileva, G. P., Lenormand, T. (2012) Differential susceptibility to parasites of invasive and native species of *Artemia* living in sympatry: consequences for the invasion of *A. franciscana* in the Mediterranean region. *Biological Invasions* 14:1819-1829.

Sánchez, M. I., Varo, N., Matesanz, C., Ramo, C., Amat, J. A., Green, A. J. (2013) Cestodes change the isotopic signature of brine shrimp, *Artemia* hosts: Implications for aquatic food webs. *International Journal for Parasitology* 43:73-80.

Sasal, P., Taraschewski, H., Valade, P., Grondin, H., Wielgoss, S., Moravec, F. (2008) Parasite communities in eels of the Island of Reunion (Indian Ocean): a lesson in parasite introduction. *Parasitology Research* 102:1343-1350.

Sax, D. F., Stachowicz, J. J., Brown, J. H., Bruno, J. F., Dawson, M. N., Gaines, S. D., Grosberg, R. K., Hastings, A., Holt, R. D., Mayfield, M. M., O'Connor, M. I., Rice, W. R. (2007) Ecological and evolutionary insights from species invasions. *Trends in Ecology and Evolution* 22:465-471.

Schmidt, A., Wehrmann, A., Ditmann, S. (2008) Population dynamics of the invasive Pacific oyster *Crassostrea gigas* during the early stages of an outbreak in the Wadden Sea (Germany). *Helgoland Marine Research* 62:367-376.

Schmidt, O., Dautel, H., Newton, J., Gray, J. S. (2011) Natural isotope signatures of host blood are replicated in moulted ticks. *Ticks and Tick-borne Diseases* 2:225-277.

Searle, C. L., Cortez, M. H., Hunsberger, K. K., Grippi, D. C., Oleksy, I. A., Shaw, C. L., de la Serna, S. B., Lash, C. L., Dhir, K. L., Duffy, M. A. (2016) Population density, not host competence, drives patterns of disease in an invaded community. *The American Naturalist* 188:554-566.

Segarra, A., Pepin, J. F., Arzul, I., Morga, B., Faury, N., Renault, T. (2010) Detection and description of a particular Ostreid herpesvirus 1 genotype associated with massive mortality outbreaks of Pacific oysters, *Crassostrea gigas*, in France in 2008. *Virus Research* 153:92-99.

Sepúlveda, F., Marín, S., Carvajal, J. (2004) Metazoan parasites in wild fish and farmed salmon from aquaculture sites in southern Chile. *Aquaculture* 235:89-100.

Shakman, E., Kinzelbach, R., Trilles, J. P., Bariche, M. (2009) First occurrence of native cymothoid parasites on introduced rabbitfishes in the Mediterranean Sea. *Acta Parasitology* 54:380-384.

Sheath, D. J., Williams, C. F., Reading, A. J., Britton, J. R. (2015) Parasites of non-native freshwater fishes introduced to England and Wales suggest enemy release and parasite acquisition. *Biological Invasions* 17:2235-2246.

- Simberloff, D. (2009) The role of propagule pressure in biological invasions. *Annual Review of Ecology, Evolution and Systematics* 40:81-102.
- Simberloff, D., Martin, J., Genovesi, P., Maris, V., Wardle, D. A., Aronson, J., Courchamp, F., Galil, B., Garcia-Berthou, E., Pascal, M., Pyšek, P., Sousa, R., Tabacchi, E., Vilà, M. (2013) Impacts of biological invasions: what's what and the way forward. *Trends in Ecology and Evolution* 25:58-66.
- Simon, C. A., Sato-Okoshi, W. (2015) Polydorid polychaetes on farmed molluscs: distribution, spread and factors contributing to their success. *Aquaculture Environment Interactions* 7:147-166.
- Sindermann, C. J., Rosenfield, A. (1967) Principal diseases of commercial important marine bivalve Mollusca and Crustacea. *Fish Bulletin (Washington DC)* 66:335-385.
- Skaug, H., Fournier, D., Bolker, B., Magnusson, A., Nielsen, A. (2014) Generalized linear mixed models using AD Model Builder. R package version 0.8.0.
- Smaal, A. C., Kater, B. J., Wijsman, J. W. M. (2009) Introduction, establishment and expansion of the Pacific oyster *Crassostrea gigas* in the Oosterschelde (SW Netherlands). *Helgoland Marine Research* 63:75-83.
- Sparks, A. K. (1962) Metaplasia of the gut of the oyster *Crassostrea gigas* (Thunberg) caused by infection with the copepod *Mytilicola orientalis* Mori. *Journal of Invertebrate Pathology* 4:57-62.
- Stapp, P., Salkeld, D. J. (2009) Inferring host-parasite relationships using stable isotopes: implications for disease transmission and host specificity. *Ecology* 90:3268-3273.
- Stebbing, P. D., Pond, M. J., Peeler, E., Small, H. J., Greenwood, S. J., Verner-Jeffreys, D. (2012) Limited prevalence of gaffkaemia (*Aerococcus viridans* var. *homari*) isolated from wild-caught European lobsters *Homarus gammarus* in England and Wales. *Diseases Aquatic Organisms* 100:159-167.
- Steele, S., Mulcahy, M. F. (2001) Impact of the copepod *Mytilicola orientalis* on the Pacific oyster *Crassostrea gigas* in Ireland. *Diseases of Aquatic Organisms* 47:145-149.
- Steuer, A. (1902) *Mytilicola intestinalis* n.gen. n.sp. aus dem Darne van *Mytilus galloprovincialis* Lam. (Vorläufige Mittheilung). *Arbeiten aus dem Zoologischen Institut der Universität Wien* 15:1-46.
- Steuer, A. (1905) *Mytilicola intestinalis* n. gen. n. sp. *Arbeiten aus dem Zoologischen Institut der Universität Wien* 15:1-46.
- Stier, T., Drent, J., Thieltges, D. W. (2015) Trematode infections reduce clearance rates and condition in blue mussels *Mytilus edulis*. *Marine Ecology Progress Series* 529:137-144.
- Stock, J. H. (1965) On copepoda associated with Dutch molluscs. *Basteria* 29:65-71
- Stock, J. H. (1993) Copepoda (Crustacea) associated with commercial and non-commercial Bivalvia in the East Scheldt, The Netherlands. *Bijdragen tot de Dierkunde* 63:61-64.
- Streftaris, N., Zenetos, A. (2006) Alien marine species in the Mediterranean - the 100 'Worst invasives' and their impact. *Mediterranean Marine Science* 7:87-118.
- Stringer, A. P., Linklater, W. L. (2015) Host density drives macroparasites abundance across populations of a critically endangered megaherbivore. *Oecologia* 179:201-207.
- Stunkard, H. W. (1964) Studies on the trematode genus *Renicola*: observations on the life history, specificity and systematic position. *Biological Bulletin* 126:468-489.
- Sweeting, C. J., Polunin, N. V. C., Jennings, S. (2006) Effects of chemical lipid extraction and arithmetic lipid correction on stable isotope ratios of fish tissues. *Rapid Communications in Mass Spectrometry* 20:595-601.

## T

- Taraschewski, H., Maravec, F., Lamah, T., Anders, K. (1987) Distribution and morphology of two helminths recently introduced into European eel populations: *Anguillicola crassus* (Nematoda, Dracunculoidea) and *Paratenuisentis ambiguus* (Acantocephala, Tenuisentidae). *Diseases of Aquatic Organisms* 3:167-176.
- Taraschewski, H. (2006) Hosts and parasites as aliens. *Journal of Helminthology* 80:99-128.
- Telfer, S., Brown, K. (2012) Invasions and infections — the effects of invasion on parasite dynamics and communities. *Functional Ecology* 26:1288-1299.
- Theisen, B. F. (1966) *Mytilicola intestinalis* Steuer in Danish Waters 1964-65. *Meddelelser fra Danmarks Fiskeri- og Havundersørgelser* 4:327-337.
- Theisen, B. F. (1987) *Mytilicola intestinalis* Steuer and the condition of its host *Mytilus edulis* L. *Ophelia* 27:77-86.
- Thieltges, D. W. (2006) Effect of infection by metacercarial trematode *Renicola roscovita* on growth in intertidal blue mussel *Mytilus edulis*. *Marine Ecology Progress Series* 319:129-134.
- Thieltges, D. W., Krakau, M., Andresen, H., Fottner, S., Reise, K. (2006) Macroparasite community in molluscs of a tidal basin in the Wadden Sea. *Helgoland Marine Research* 60:307-316.
- Thieltges, D. W., Rick, J. (2006) Effect of temperature on emergence, survival and infectivity of cercariae of the marine trematode *Renicola roscovita* (Digenea: Rencolidae). *Diseases of Aquatic Organisms* 73:63-68.
- Thieltges, D. W. (2007) Habitat and transmission - effect of tidal level and upstream host density on metacercarial load in an intertidal bivalve. *Parasitology* 134:599-605.
- Thieltges, D. W., Reise, K. (2007) Spatial heterogeneity in parasite infections at different scales in an intertidal bivalve. *Oecologia* 150:569-581.
- Thieltges, D. W., Jensen, K. T., Poulin, R. (2008a) The role of biotic factors in the transmission of free-living endohelminth stages. *Parasitology* 135:407-426.
- Thieltges, D. W., Bordalo, M. D., Hernández, A. C., Prinz, K., Jensen, K. T. (2008b) Ambient fauna impairs parasite transmission in a marine parasite-host system. *Parasitology* 135:1111-1116.
- Thieltges, D. W., Reise, K., Prinz, K., Jensen, K. T. (2009a) Invaders interfere with native parasite-host interactions. *Biological Invasions* 11:1421-1429.
- Thieltges, D. W., Ferguson, M. A. D., Jones, C., Krakau, M., de Montaudouin, X., Noble, L. R., Reise, K., Poulin, R. (2009b) Distance decay of similarity among parasite communities of three marine invertebrate hosts. *Oecologia* 160:163-173.
- Thieltges, D. W., Engelsma, M. Y., Wendling, C. C., Wegner, K. M. (2013a) Parasites in the Wadden Sea food web. *Journal of Sea Research* 82:122-133.
- Thieltges, D. W., Amundsen, P. A., Hechinger, R. F., Johnson, P. T. J., Lafferty, K. D., Mouritsen, K. N., Preston, D. L., Reise, K., Zander, C.D., Poulin, R. (2013b) Parasites as prey in aquatic food webs: implications for predator infection and parasite transmission. *Oikos* 122:1473-1482.
- Thiéry, A., Robert, F., Gabrion, R. (1990) Distribution des populations d'*Artemia* et de leur parasite *Flamingolepis liguloides* (Cestoda, Cyclophyllidea) dans les salins du littoral méditerranéen français. *Canadian Journal of Zoology* 68:2199-2204.
- Thorstad, E. B., Finstad, A. G., Jensen, A. J. (2007) To what extent does ethanol and freezing preservation cause shrinkage of juvenile Atlantic salmon and European minnow? *Fisheries Management and Ecology* 14:295-298.

- Tompkins, D. M., Sainsbury, A. W., Nettleton, P., Buxton, D., Gurnell, J. (2002) Parapoxvirus causes a deleterious disease in red squirrels associated with UK population declines. *Proceedings of the Royal Society B* 269:529-533.
- Tompkins, D. M., Dunn, A.M., Smith, M. J., Telfer, S. (2011) Wildlife diseases: from individuals to ecosystems. *Journal of Animal Ecology* 80:19-38.
- Torchin, M. E., Lafferty, K. D., Kuris, A. M. (1996) Infestation of an introduced host, the European green crab, *Carcinus maenas*, by a symbiotic nemertean egg predator, *Carcionemertes epialti*. *Journal of Parasitology* 82:449-453.
- Torchin, M. E., Lafferty, K. D., Kuris, A. M. (2001) Release from parasites as natural enemies: increased performance of a globally introduced marine crab. *Biological Invasions* 3:333-345.
- Torchin, M. E., Lafferty, K. D., Kuris, A. M. (2002) Parasites and marine invasions. *Parasitology* 124:S137-S151.
- Torchin, M. E., Lafferty, K. D., Dobson, A. P., McKenzie, V. J., Kuris, A. M. (2003) Introduced species and their missing parasites. *Nature* 421:628-630.
- Torchin, M. E., Mitchell, C. E. (2004) Parasites, pathogens, and invasions by plants and animals. *Frontiers in Ecology and the Environment* 2:183-190.
- Torchin, M. E., Byers, M. E., Huspeni, T. C. (2005) Differential parasitism of native and introduced snails: replacement of a parasite fauna. *Biological Invasions* 7:885-894.
- Torchin, M. E., Lafferty, K. D. (2009) Escape from parasites. In: Rilov, G., Crooks, J. A. (eds), *Biological Invasions in Marine Ecosystems*. Springer-Verlag, Berlin Heidelberg, pp. 203-214.
- Towanda, T. (2006) Ectosymbiotic behaviour of *Cancer gracilis* and its trophic relationships with its host *Phacellophora camtschatica* and the parasitoid *Hyperia medusarum*. *Marine Ecology Progress Series* 315:221-236.
- Traugott, M., Kamenova, S., Ruess, L., Seeber, J., Plantegenest, M. (2013) Empirically characterising trophic networks: what emerging DNA-based methods, stable isotope and fatty acid analyses can offer. *Advances in Ecological Research* 49:177-224.
- Troost, K. (2010) Causes and effects of a highly successful marine invasion: Case-study of the introduced Pacific oyster *Crassostrea gigas* in continental NW European estuaries. *Netherlands Journal of Sea Research* 64:145-165.
- Tydeman, P. (2008) Japanse oesters naar de (Wadden)zee gedragen? *Het Zeepaard* 68:109-114.

## U

- UNESCO WHS (2014) UNESCO World Heritage Site, Decision: 38 COM 8B.13, <http://whc.unesco.org/en/decisions/6098>

## V

- Van Engel, W. A., Dillon, W. A., Zwerner, D., Eldridge, D. (1966) *Loxothylacus panopaei* (Cirripedia, Sacculinidae) an introduced parasite on a xanthid crab in Chesapeake Bay, U.S.A. *Crustaceana* 10:110-112.
- Van Zweeden, C., Troost, K., van Asch, M., Kesteloo-Hendrikse, J. J. (2012) Het kokkelbestand in de Nederlandse kustwateren in 2012. IMARES Wageningen Report, C094/12. IMARES Wageningen UR, IJmuiden, The Netherlands.

- Vander Zanden, M. J., Cabana, G., Rasmussen, J. B. (1997) Comparing trophic position of freshwater fish calculated using stable nitrogen isotope ratios ( $\delta^{15}\text{N}$ ) and literature dietary data. *Canadian Journal of Fisheries and Aquatic Sciences* 54:1142-1158.
- Vander Zanden, M. J., Rasmussen, J. B. (2001) Variation in  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  trophic fractionation: Implications for aquatic food web studies. *Limnology and Oceanography* 46:2061-2066.
- Vanderklift, M.A., Ponsard, S. (2003) Sources of variation in consumer-diet  $\delta^{15}\text{N}$  enrichment: a meta-analysis. *Oecologia* 136:169-182.
- Venables, W. N., Ripley, B. D. (2002) *Modern Applied Statistics with S*. Springer, New York, US.
- Vignon, M., Sasal, P. (2010) Fish introduction and parasites in marine ecosystems: a need for information. *Environmental Biology of Fishes* 87:1-8.
- Vignon, M., Sasal, P., Rigby, M. C., Galzin, R. (2009a) Multiple parasite introduction and host management plan: case study of lutjanid fish in the Hawaiian Archipelago. *Diseases of Aquatic Organisms* 85:133-145.
- Vignon, M., Sasal, P., Galzin, R. (2009b) Host introduction and parasites: a case study on the parasite community of the peacock grouper *Cephalopholis argus* (Serranidae) in the Hawaiian Islands. *Parasitology Research* 104:775-782.
- Vitousek, P., D'Antonio, C., Loope, L. L., Westbrooks, R. (1996) Biological invasions as global environmental change. *The American Scientist* 84:468-478.
- Voigt, C. C., Kelm, D. H. (2006a) Host preferences of bat flies: following the bloody path of stable isotopes in a host-parasite food chain. *Canadian Journal of Zoology* 84:397-403.
- Voigt, C. C., Kelm, D. H. (2006b) Host preference of the common vampire bat (*Desmodus rotundus*; Chiroptera) assessed by stable isotopes. *Journal of Mammalogy* 87:1-6.

## W

- Warner, R. E. (1968) Role of introduced diseases in extinction of endemic Hawaiian avifauna. *Condor* 70:101-120.
- Warner, G. F. (1997) Occurrence of epifauna on the periwinkle, *Littorina littorea* (L.), and interactions with the polychaete *Polydora ciliata* (Johnston). *Hydrobiologia* 355:41-47.
- Waser, A. M., Splinter, W., van der Meer, J. (2015) Indirect effects of invasive species affecting the population structure of an ecosystem engineer. *Ecosphere* 6:109, doi:10.1890/ES14-00437.1.
- Waser, A. M., Deuzeman, S., Kangeri, A. K., van Winden, E., Postma, J., de Boer, P., van der Meer, J., Ens, B. J. (2016) Impact on bird fauna of a non-native oyster expanding into blue mussel beds in the Dutch Wadden Sea. *Biological Conservation* 202:39-49.
- Watermann, B., Thomsen, A., Kolodzey, H., Daehne, B., Meemken, M., Pijanowska, U., Liebezeit, G. (2008a) Histopathological lesions of molluscs in the harbour of Norderney, Lower Saxony, North Sea (Germany). *Helgoland Marine Research* 62:167-175.
- Watermann, B. T., Herlyn, M., Daehne, B., Bergmann, S., Meemken, M., Kolodzey, H. (2008b) Pathology and mass mortality of Pacific oysters, *Crassostrea gigas* (Thunberg), in 2005 at the East Frisian coast, Germany. *Journal of Fish Diseases* 31:621-630.
- Weclawski, U., Heitlinger, E. G., Baust, T., Klar, B., Petney, T., Han, Y. S., Taraschewski, H. (2013) Evolutionary divergence of the swim bladder nematode *Anguillicola crassus* after colonization of a novel host, *Anguilla anguilla*. *BMC Evolutionary Biology* 13:78, doi:10.1186/1471-2148-13-78
- Weclawski, U., Heitlinger, E. G., Baust, T., Klar, B., Petney, T., Han, Y. S., Taraschewski, H. (2014) Rapid evolution of *Anguillicola crassus* in Europe: species diagnostic traits are plastic and

- evolutionarily labile. *Frontiers in Zoology* 11:74, doi:10.1186/s12983-014-0074-9
- Weerman, E. J., Eriksson, B. H., Olf, H., van der Heide, T. (2014) Predation by native brown shrimp on invasive Pacific oyster spat. *Journal of Sea Research* 85:126-130.
- Wegeberg, A. M., Jensen, K. T. (1999) Reduced survivorship of *Himasthla* (Trematoda, Digenea)-infected cockles (*Cerastoderma edule*) exposed to oxygen depletion. *Journal of Sea Research* 42:325-331.
- Wehrmann, A., Herlyn, M., Bungenstock, F., Hertweck, G., Millat, G. (2000) The distribution gap is closed - first record of naturally settled Pacific oysters *Crassostrea gigas* in the East Frisian Wadden Sea, North Sea. *Senckenbergiana Maritima* 30:153-160.
- Wells, K. (2015) The importance of parasite geography and spillover effects for global patterns of host-parasite associations in two invasive species. *Diversity and Distributions* 21:477-486.
- Welsh, J. E., van der Meer, J., Brussaard, C. P. D., Thieltges, D. W. (2014) Inventory of organisms interfering with transmission of a marine trematode. *Journal of the Marine Biological Association of the United Kingdom* 94:697-702.
- Wendling, C. C., Batista, F. M., Wegner, K. M. (2014) Persistence, Seasonal Dynamics and Pathogenic Potential of *Vibrio* Communities from Pacific oyster hemolymph. *PloS One* 9:e94256, doi: 10.1371/journal.pone.0094256.
- Wendling, C. C., Wegner, K. M. (2013) Relative contribution of reproductive investment, thermal stress and *Vibrio* infection to summer mortality phenomena in Pacific oysters. *Aquaculture* 412-413:88-96.
- Wendling, C. C., Wegner, K. M. (2015) Adaptation to enemy shifts: rapid resistance evolution to local *Vibrio* spp. in invasive Pacific oysters. *Proceedings of the Royal Society of London B* 282:20142244.
- Werdling, B. (1969) Morphologie, Entwicklung und Ökologie digener Trematoden-Larven der Strandschnecke *Littorina littorea*. *Marine Biology* 3:306-333.
- Werneck, G. L., Costa, C. H. N., Walker, A. M., David, J. R., Wand, M., Maguire, J. H. (2007) Multilevel modelling of the incidence of visceral leishmaniasis in Teresina, Brazil. *Epidemiology and Infection* 135:195-201.
- Werner, E. E., Peacor, S. D. (2003) A review of trait-mediated indirect interactions in ecological communities. *Ecology* 84:1083-1100.
- Whittington, R. J., Jones, J. B., Hine, P. M., Hyatt, A. D. (1997) Epizootic mortality in the pilchard (*Sardinops sagax neopilchardus*) in Australia and New Zealand in 1995. I. Pathology and epizootiology. *Diseases of Aquatic Organisms* 28:1-16.
- Whittington, R. J., Crockford, M., Jordan, D., Jones, B. (2008) Herpesvirus that caused epizootic mortality in 1995 and 1998 in pilchard, *Sardinops sagax neopilchardus* (Steindachner), in Australia is now endemic. *Journal of Fish Diseases* 31:97-105.
- Wielgoss, S., Taraschewski, H., Meyer, A., Wirth, T. (2008) Population structure of the parasitic nematode *Anguillicola crassus*, an invader of declining North Atlantic eel stocks. *Molecular Ecology* 17:3478-3495.
- Williams, C. S. (1969) The effect of *Mytilicola intestinalis* on the biochemical composition of mussels. *Journal of the Marine Biological Association of the UK* 49:161-173.
- Wilson, C. B. (1938) A new copepod from Japanese oysters transplanted to the Pacific Coast of the United States. *Journal of the Washington Academy of Sciences* 28:284-288.
- Wilson, J. G., Galaktionov, K. V., Sukhotin, A. A., Skirnisson, K., Nikolaev, K. E., Ivanov, M. I., Bustnes J. O., Saville, D. H., Regel, K. V. (2011) Factors influencing trematode parasite burdens in

mussels (*Mytilus* spp.) from the north Atlantic Ocean across to the north Pacific. *Estuarine, Coastal and Shelf Science* 132:87-93.

Woolhouse, M. E. J., Thumbi, S. M., Jennings, A., Chase-Topping, M., Callaby, R., Kiara, H., Oosthuizen, M. C., Mbole-Kariuki, M. N., Conradie, I., Handel, I. G., Poole, E. J., Njiiri, E., Collins, N. E., Murray, G., Tapio, M., Auguet, O. T., Weir, W., Morrison, W. I., Kruuk, L. E. B., de C. Bronsvort, B. M., Hanotte, O., Coetzer, K., Toye, P. G. (2015) Co-infections determine patterns of mortality in a population exposed to parasite infection. *Science Advances* 1: e1400026, doi: 10.1126/sciadv.1400026.

## X

Xu, J., Zhang, M., Xie, P. (2007) Trophic relationship between the parasitic isopod *Ichtyoxenus japonensis* and the fish *Carassius auratus auratus* as revealed by stable isotopes. *Journal of Freshwater Ecology* 22:333-338.

## Y

Yamada, M. (1950) An epizoic athecate hydroid attached to the oyster body. *Annotationes zoologicae japonenses* 23:117-118.

Yarnes, C. T., Rockwell, J. N., Boecklen, W. J. (2005) Patterns of trophic shift in  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  through a cynipid gall wasp community (*Neuroterus* sp.) in *Quercus turbinella*. *Environmental Entomology* 34:1471-1476.

Yeh, P. J., Price, T. D. (2004) Adaptive phenotypic plasticity and the successful colonization of a novel environment. *The American Naturalist* 164:531-542.

Yurlova, N. I., Shikano, S. H., Kanaya, G., Rastyazhenko, N. M., Vodyanitskaya, S. N. (2014) The evaluation of snail host-trematode parasite trophic relationships using stable isotope analysis. *Parazitologiya* 48:193-205.

## Z

Zarlenga, D. S., Hoberg, E., Rosenthal, B., Mattiucci, S., Nascetti, G. (2014) Anthropogenics: human influence on global and genetic homogenization of parasite populations. *Journal of Parasitology* 100:756-772.

Zetmeisl, C., Hermann, J., Petney, T., Glenner, H., Griffiths, C., Taraschewski, H. (2011) Parasites of the shore crab *Carcinus maenas* (L): implications for reproductive potential and invasion success. *Parasitology* 138:394-401.

Zijlstra, J. J. (1972) On the importance of the Wadden Sea as a nursery area in relation to the conservation of the southern North Sea fishery resources. *Symposia of the Zoological Society of London* 29:223-258.

Zuur, A. F., Ieno, E. N., Walker, N. J., Saveliev, A. A., Smith, G. M. (2009) *Mixed effects models and extensions in ecology with R*. Springer, Berlin, Germany.

Zuur A. F., Ieno E. N., Elphick, C. S. (2010) A protocol for data exploration to avoid common statistical problems. *Methods in Ecology and Evolution* 1:3-14.