
Contents

Abstract	xi
Acknowledgments	xv
List of tables	xviii
List of figures	xx
Introduction	1
Chapter guideline	4
1 Context and theoretical aspects	7
1.1 General relativity and gravitational waves	8
1.1.1 Linearized general relativity	8
1.1.2 Gravitational waves	9
1.1.3 Sources of gravitational waves	11

1.2 Gravitational wave detections	14
1.2.1 First detection of gravitational waves	14
1.2.2 Other LIGO detections in O1 and O2	15
1.2.3 First triple-coincident detection by LIGO and Virgo	19
1.2.4 First observation of a binary neutron star inspiral	21
1.3 Vibration isolation	23
1.3.1 Damped harmonic oscillators	23
1.3.2 Seismic attenuation system components	26
1.4 Controls	32
1.4.1 Feedback	33
1.4.2 Control of a single degree of freedom	34
1.4.3 Digital and modern control	36
1.5 Sensing	37
1.5.1 Vibration sensors	38
1.5.2 Sensors for gravitational wave detectors	39
2 Gravitational wave detectors	43
2.1 Interferometric detectors	44
2.1.1 Measuring a space-time perturbation	45
2.1.2 Interferometry in practice	47
2.2 Sensitivity improvements	50
2.2.1 Sensitivity limitations	54
2.2.2 Readout methods	59
2.3 Advanced Virgo	62

2.3.1 From Virgo+ to Advanced Virgo	63
2.3.2 Strain sensitivity of Advanced Virgo	68
2.3.3 Global network	71
2.4 Future detectors	72
2.4.1 Einstein Telescope	73
2.4.2 LISA	76
3 Multi-stage seismic attenuation system	79
3.1 Auxiliary optics on suspended benches	80
3.1.1 Angular modes of core optics	80
3.1.2 Sensing of the suspended end benches	81
3.2 MultiSAS characterization	83
3.2.1 Requirements on the transfer function	85
3.2.2 Transfer function measurements	86
3.2.3 Inverted pendulum leg parallelism	89
3.2.4 Thermal shields	90
3.2.5 Acoustic coupling	93
3.3 Design of the control system	95
3.3.1 Top stage control	96
3.3.2 Signal blending	98
3.3.3 Vertical ground subtraction	101
3.3.4 Suspended bench control	102
3.4 Commissioning for Advanced Virgo	105
3.4.1 MultiSAS performance at Advanced Virgo	105

3.4.2	GAS blade failure	108
3.4.3	Scattered light	112
4	Femtometer precision sensing	115
4.1	Monolithic accelerometer design	117
4.1.1	Mechanical modeling	117
4.1.2	Proof mass suspension thermal noise	119
4.2	Interferometric readout	121
4.2.1	Readout circuit	122
4.2.2	Noise budget	124
4.2.3	Sensor characterisation	126
4.3	Increasing the dynamic range	131
4.3.1	Using a piezo as actuator	131
4.3.2	Using a voice coil as actuator	135
4.3.3	Noise measurement in the MultiSAS test facility	136
5	Control of KAGRA suspension prototypes	141
5.1	KAGRA vibration isolation	143
5.1.1	Suspensions overview	144
5.1.2	Type A and type B(p) suspensions	145
5.2	Inverted pendulum stage control	146
5.2.1	LVDT read out monolithic accelerometers	147
5.2.2	Pre-isolator stage simulation results	148
5.3	Room temperature payload prototype	151
5.3.1	OSEM characterization	153

5.3.2 Inertial damping of the optic stage	154
5.3.3 Inertial damping of the intermediate stage	157
Conclusion	159
Conclusions	159
Recommendations and future work	161
A Test facility and Advanced Virgo MultiSAS	165
A.1 Inverted pendulum transfer function	166
A.2 Resonance modeling and measurements	167
A.3 Tuning methods	170
A.4 Local coordinate systems at Virgo	171
A.5 Control in Advanced Virgo systems	173
B Interferometric readout in fiber for CLIC	175
B.1 Fiber test set-up fabrication	176
B.2 Results of the prototype set-up	177
Bibliography	179
Summary	193
Samenvatting - summary in Dutch	201
Riassunto - summary in Italian	209