

REFERENCES

- Adam M, Murali B, Glenn NO, Potter SS (2008) Epigenetic inheritance based evolution of antibiotic resistance in bacteria. *BMC Evolutionary Biology* 8: 52-52
- Alexandre JS, Kaewthamasorn M, Yahata K, Nakazawa S, Kaneko O (2011) Positive selection on the *Plasmodium falciparum* *clag2* gene encoding a component of the erythrocyte-binding rhoptry protein complex. *Tropical medicine and health* 39: 77-82
- Alkhalil A, Cohn JV, Wagner MA, Cabrera JS, Rajapandi T, Desai SA (2004) *Plasmodium falciparum* likely encodes the principal anion channel on infected human erythrocytes. *Blood* 104: 4279-4286
- Alkhalil A, Pillai AD, Bokhari AA, Vaidya AB, Desai SA (2009) Complex inheritance of the plasmodial surface anion channel in a *Plasmodium falciparum* genetic cross. *Mol Microbiol* 72: 459-469
- Alonso PL, Tanner M (2013) Public health challenges and prospects for malaria control and elimination. *Nature medicine* 19: 150-155
- Alves FP, Durlacher RR, Menezes MJ, Krieger H, Silva LH, Camargo EP (2002) High prevalence of asymptomatic *Plasmodium vivax* and *Plasmodium falciparum* infections in native Amazonian populations. *The American journal of tropical medicine and hygiene* 66(6): 641-648
- Aly AS, Vaughan AM, Kappe SH (2009) Malaria parasite development in the mosquito and infection of the mammalian host. *Annual review of microbiology* 63: 195-221
- Amambua-Ngwa A, Tetteh KK, Manske M, Gomez-Escobar N, Stewart LB, Deerrhake ME, Cheeseman IH, Newbold CI, Holder AA, Knuepfer E, Janha O, Jallow M, Campino S, Macinnis B, Kwiatkowski DP, Conway DJ (2012) Population genomic scan for candidate signatures of balancing selection to guide antigen characterization in malaria parasites. *PLoS genetics* 8: e1002992
- Amaratunga C, Lim P, Suon S, Sreng S, Mao S, Sopha C, Sam B, Dek D, Try V, Amato R, Blessborn D, Song L, Tullo GS, Fay MP, Anderson JM, Tarning J, Fairhurst RM (2016) Dihydroartemisinin–piperaquine resistance in *Plasmodium falciparum* malaria in Cambodia: a multisite prospective cohort study. *The Lancet Infectious Diseases* 16: 357-365
- Amato R, Lim P, Miotto O, Amaratunga C, Dek D, Pearson RD, Almagro-Garcia J, Neal AT, Sreng S, Suon S, Drury E, Jyothi D, Stalker J, Kwiatkowski DP, Fairhurst RM (2017) Genetic markers associated with dihydroartemisinin–piperaquine failure in *Plasmodium falciparum* malaria in Cambodia: a genotype–phenotype association study. *The Lancet Infectious Diseases* 17: 164-173
- Amit-Avraham I, Pozner G, Eshar S, Fastman Y, Kolevzon N, Yavin E, Dzikowski R (2015) Antisense long noncoding RNAs regulate *var* gene activation in the malaria parasite *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences of the United States of America* 112: E982-991

Anantharaman V, Iyer LM, Balaji S, Aravind L (2007) Adhesion molecules and other secreted host-interaction determinants in apicomplexa: insights from comparative genomics. *International Review of Cytology* 262: 1-74

Anderson TJ, Nair S, McDew-White M, Cheeseman IH, Nkhoma S, Bilgic F, McGready R, Ashley E, Pyae Phyo A, White NJ, Nosten F (2017) Population parameters underlying an ongoing soft sweep in Southeast Asian malaria parasites. *Molecular biology and evolution* 34: 131-144

Anderson TJ, Roper C (2005) The origins and spread of antimalarial drug resistance: lessons for policy makers. *Acta tropica* 94: 269-280

Ansell BRE, McConville MJ, Ma'ayeh SY, Dagley MJ, Gasser RB, Svärd SG, Jex AR (2015) Drug resistance in *Giardia duodenalis*. *Biotechnology Advances* 33: 888-901

Ariey F, Witkowski B, Amaratunga C, Beghain J, Langlois AC, Khim N, Kim S, Duru V, Bouchier C, Ma L, Lim P, Leang R, Duong S, Sreng S, Suon S, Chuor CM, Bout DM, Menard S, Rogers WO, Genton B, Fandeur T, Miotto O, Ringwald P, Le Bras J, Berry A, Barale JC, Fairhurst RM, Benoit-Vical F, Mercereau-Puijalon O, Menard D (2014) A molecular marker of artemisinin-resistant *Plasmodium falciparum* malaria. *Nature* 505: 50-55

Ashley EA, Dhorda M, Fairhurst RM, Amaratunga C, Lim P, Suon S, Sreng S, Anderson JM, Mao S, Sam B, Sopha C, Chuor CM, Nguon C, Sovannaroeth S, Pukrittayakamee S, Jittamala P, Chotivanich K, Chutasmit K, Suchatsoonthorn C, Runcharoen R, Hien TT, Thuy-Nhien NT, Thanh NV, Phu NH, Htut Y, Han KT, Aye KH, Mokuolu OA, Olaosebikan RR, Folaranmi OO, Mayxay M, Khanthavong M, Hongvanthong B, Newton PN, Onyamboko MA, Fanello CI, Tshefu AK, Mishra N, Valecha N, Phyo AP, Nosten F, Yi P, Tripura R, Borrmann S, Bashraheil M, Peshu J, Faiz MA, Ghose A, Hossain MA, Samad R, Rahman MR, Hasan MM, Islam A, Miotto O, Amato R, MacInnis B, Stalker J, Kwiatkowski DP, Bozdech Z, Jeeyapant A, Cheah PY, Sakulthaew T, Chalk J, Intharabut B, Silamut K, Lee SJ, Vihokhern B, Kunasol C, Imwong M, Tarning J, Taylor WJ, Yeung S, Woodrow CJ, Flegg JA, Das D, Smith J, Venkatesan M, Plowe CV, Stepniewska K, Guerin PJ, Dondorp AM, Day NP, White NJ, Tracking Resistance to Artemisinin C (2014) Spread of artemisinin resistance in *Plasmodium falciparum* malaria. *The New England journal of medicine* 371: 411-423

Babbitt SE, Altenhofen L, Cobbold SA, Istvan ES, Fennell C, Doerig C, Llinas M, Goldberg DE (2012) *Plasmodium falciparum* responds to amino acid starvation by entering into a hibernatory state. *Proceedings of the National Academy of Sciences of the United States of America* 109: E3278-3287

Bachmann A, Petter M, Krumkamp R, Esen M, Held J, Scholz JA, Li T, Sim BK, Hoffman SL, Kremsner PG, Mordmuller B, Duffy MF, Tannich E (2016) Mosquito passage dramatically changes *var* gene expression in controlled human *Plasmodium falciparum* infections. *PLoS pathogens* 12: e1005538

Bakulski KM, Fallin MD (2014) Epigenetic epidemiology: promises for public health research. *Environmental and molecular mutagenesis* 55: 171-183

Barnes DA, Thompson J, Triglia T, Day K, Kemp DJ (1994) Mapping the genetic locus implicated in cytoadherence of *Plasmodium falciparum* to melanoma cells. *Molecular and biochemical parasitology* 66: 21-29

Basore K, Cheng Y, Kushwaha AK, Nguyen ST, Desai SA (2015) How do antimalarial drugs reach their intracellular targets? *Front Pharmacol* 6: 91

Baumeister S, Wiesner J, Reichenberg A, Hintz M, Bietz S, Harb OS, Roos DS, Kordes M, Friesen J, Matuschewski K, Lingelbach K, Jomaa H, Seeber F (2011) Fosmidomycin uptake into *Plasmodium* and *Babesia*-infected erythrocytes is facilitated by parasite-induced new permeability pathways. *PLoS One* 6: e19334

Baumeister S, Winterberg M, Duranton C, Huber SM, Lang F, Kirk K, Lingelbach K (2006) Evidence for the involvement of *Plasmodium falciparum* proteins in the formation of new permeability pathways in the erythrocyte membrane. *Mol Microbiol* 60: 493-504

Beck JR, Muralidharan V, Oksman A, Goldberg DE (2014) PTEX component HSP101 mediates export of diverse malaria effectors into host erythrocytes. *Nature* 511: 592-595

Bell D, Wongsrichanalai C, Barnwell JW (2006) Ensuring quality and access for malaria diagnosis: how can it be achieved? *Nature reviews Microbiology* 4: S7-20

Bentwich Z, Maartens G, Torten D, Lal AA, Lal RB (2000) Concurrent infections and HIV pathogenesis. *AIDS* 14(14): 2071-2081

Bernabeu M, Danziger SA, Avril M, Vaz M, Babar PH, Brazier AJ, Herricks T, Maki JN, Pereira L, Mascarenhas A, Gomes E, Chery L, Aitchison JD, Rathod PK, Smith JD (2016) Severe adult malaria is associated with specific PfEMP1 adhesion types and high parasite biomass. *Proceedings of the National Academy of Sciences of the United States of America* 113: E3270-3279

Bernabeu M, Smith JD (2017) EPCR and malaria severity: the center of a perfect storm. *Trends in parasitology* 33: 295-308

Bhatt S, Weiss DJ, Cameron E, Bisanzio D, Mappin B, Dalrymple U, Battle K, Moyes CL, Henry A, Eckhoff PA, Wenger EA, Briet O, Penny MA, Smith TA, Bennett A, Yukich J, Eisele TP, Griffin JT, Fergus CA, Lynch M, Lindgren F, Cohen JM, Murray CLJ, Smith DL, Hay SI, Cibulskis RE, Gething PW (2015) The effect of malaria control on *Plasmodium falciparum* in Africa between 2000 and 2015. *Nature* 526: 207-211

Bhattacharjee S, Stahelin RV, Haldar K (2012) Host targeting of virulence determinants and phosphoinositides in blood stage malaria parasites. *Trends in parasitology* 28: 555-562

Biagini GA, Richier E, Bray PG, Calas M, Vial H, Ward SA (2003) Heme binding contributes to antimalarial activity of bis-quaternary ammoniums. *Antimicrobial Agents and Chemotherapy* 47: 2584-2589

- Bigger J (1944) Treatment of staphylococcal infections with penicillin by intermittent sterilisation. *The Lancet* 244: 497-500
- Birth D, Kao WC, Hunte C (2014) Structural analysis of atovaquone-inhibited cytochrome bc1 complex reveals the molecular basis of antimalarial drug action. *Nature communications* 5: 4029
- Blasco B, Leroy D, Fidock DA (2017) Antimalarial drug resistance: linking *Plasmodium falciparum* parasite biology to the clinic. *Nature medicine* 23: 917-928
- Bokhari AA, Solomon T, Desai SA (2008) Two distinct mechanisms of transport through the plasmodial surface anion channel. *The Journal of membrane biology* 226: 27-34
- Bopp SE, Manary MJ, Bright AT, Johnston GL, Dharia NV, Luna FL, McCormack S, Plouffe D, McNamara CW, Walker JR, Fidock DA, Denchi EL, Winzeler EA (2013) Mitotic evolution of *Plasmodium falciparum* shows a stable core genome but recombination in antigen families. *PLoS genetics* 9: e1003293
- Bouchaud O, Cot M, Kony S, Durand R, Schiemann R, Ralaimazava P (2005) Do African immigrants living in France have long-term malarial immunity? . *The American journal of tropical medicine and hygiene* 72: 21-25
- Bousema T, Drakeley C (2011) Epidemiology and infectivity of *Plasmodium falciparum* and *Plasmodium vivax* gametocytes in relation to malaria control and elimination. *Clin Microbiol Rev* 24: 377-410
- Bousema T, Okell L, Felger I, Drakeley C (2014) Asymptomatic malaria infections: detectability, transmissibility and public health relevance. *Nature reviews Microbiology* 12: 833-840
- Bouyer G, Cueff A, Egée S, Kmieciak J, Maksimova Y, Glogowska E, Gallagher PG, Thomas SLY (2011) Erythrocyte peripheral type benzodiazepine receptor/voltage-dependent anion channels are upregulated by *Plasmodium falciparum*. *Blood* 118: 2305-2312
- Bowman S, Lawson D, Basham D, Brown D, Chillingworth T, Churcher CM, Craig A, Davies RM, Devlin K, Feltwell T, Gentles S, Gwilliam R, Hamlin N, Harris D, Holroyd S, Hornsby T, Horrocks P, Jagels K, Jassal B, Kyes S, McLean J, Moule S, Mungall K, Murphy L, Oliver K, Quail MA, Rajandream MA, Rutter S, Skelton J, Squares R, Squares S, Sulston JE, Whitehead S, Woodward JR, Newbold C, Barrell BG (1999) The complete nucleotide sequence of chromosome 3 of *Plasmodium falciparum*. *Nature* 400: 532-538
- Bozdech Z, Llinas M, Pulliam BL, Wong ED, Zhu J, DeRisi JL (2003) The transcriptome of the intraerythrocytic developmental cycle of *Plasmodium falciparum*. *PLoS biology* 1: E5
- Brancucci NM, Goldowitz I, Buchholz K, Werling K, Marti M (2015) An assay to probe *Plasmodium falciparum* growth, transmission stage formation and early gametocyte development. *Nature protocols* 10: 1131-1142

Brancucci NMB, Gerdt JP, Wang C, De Niz M, Philip N, Adapa SR, Zhang M, Hitz E, Niederwieser I, Boltryk SD, Laffitte MC, Clark MA, Gruring C, Ravel D, Blancke Soares A, Demas A, Bopp S, Rubio-Ruiz B, Conejo-Garcia A, Wirth DF, Gendaszewska-Darmach E, Duraisingh MT, Adams JH, Voss TS, Waters AP, Jiang RHY, Clardy J, Marti M (2017) Lysophosphatidylcholine Regulates Sexual Stage Differentiation in the Human Malaria Parasite *Plasmodium falciparum*. *Cell* 171:1532-154

Burgess RW, Young MD (1959) The development of pyrimethamine resistance by *Plasmodium falciparum*. *Bulletin of the World Health Organization* 20: 37-46

Bustamante AC, Uddin M (2014) Epidemiology, epigenetics, and psychopathology. *Medical Epigenetics* 2: 60-70

Campbell GH, Miller LH, Hudson D, Franco EL, Andrysiak PM (1984) Monoclonal antibody characterization of *Plasmodium falciparum* antigens. *The American journal of tropical medicine and hygiene* 33: 1051-1054

Carter R, Mendis KN (2002) Evolutionary and historical aspects of the burden of malaria. *Clinical Microbiology Reviews* 15: 564-594

Chanda E, Remijo CD, Pasquale H, Baba SP, Lako RL (2014) Scale-up of a programme for malaria vector control using long-lasting insecticide-treated nets: lessons from South Sudan. *Bulletin of the World Health Organization* 92: 290-296

Chen I, Clarke SE, Gosling R, Hamainza B, Killeen G, Magill A, O'Meara W, Price RN, Riley EM (2016) "Asymptomatic" malaria: a chronic and debilitating infection that should be treated. *PLoS medicine* 13: e1001942

Chung WY, Gardiner DL, Anderson KA, Hyland CA, Kemp DJ, Trenholme KR (2007) The CLAG/RhopH1 locus on chromosome 3 of *Plasmodium falciparum*: two genes or two alleles of the same gene? *Molecular and biochemical parasitology* 151: 229-232

Churcher TS, Bousema T, Walker M, Drakeley C, Schneider P, Ouedraogo AL, Basanez MG (2013) Predicting mosquito infection from *Plasmodium falciparum* gametocyte density and estimating the reservoir of infection. *eLife* 2: e00626

Clark IA, Cowden WB, Rockett KA (1995) Nitric oxide in cerebral malaria. *The Journal of infectious diseases* 171: 1068-1069

Clark IA, Rockett RA, Cowden WB (1993) TNF in cerebral malaria. *The Quarterly journal of medicine* 86: 217-218

Coatney GR, Collins WE, Warren M, Contacos PG (1971) *The primate malarialias*, Atlanta: Division of Parasitic Diseases, producers. CDC; 2003.

Cohn JV, Alkhalil A, Wagner MA, Rajapandi T, Desai SA (2003) Extracellular lysines on the plasmodial surface anion channel involved in Na⁺ exclusion. *Molecular and biochemical parasitology* 132: 27-34

Colbourne MJ (1955) Malaria in Gold Coast students on their return from the United Kingdom. *Trans R Soc Trop Med Hyg* 49: 483-487

Comeaux CA, Coleman BI, Bei AK, Whitehurst N, Duraisingh MT (2011) Functional analysis of epigenetic regulation of tandem RhopH1/*clag* genes reveals a role in *Plasmodium falciparum* growth. *Mol Microbiol* 80: 378-390

Cooper J, Ingram L, Bushell G, Fardoulis C, Stenzel D, Schofield L, Saul A (1988) The 140/130/105 kilodalton protein complex in the rhoptries of *Plasmodium falciparum* consists of discrete polypeptides. *Molecular and biochemical parasitology* 29: 251-260

Coppel RL, Bianco AE, Culvenor JG, Crewther PE, Brown GV, Anders RF, Kemp DJ (1987) A cDNA clone expressing a rhoptry protein of *Plasmodium falciparum*. *Molecular and biochemical parasitology* 25: 73-81

Cortes A (2008) Switching *Plasmodium falciparum* genes on and off for erythrocyte invasion. *Trends Parasitol* 24: 517-524

Cortes A, Carret C, Kaneko O, Yim Lim BY, Ivens A, Holder AA (2007) Epigenetic silencing of *Plasmodium falciparum* genes linked to erythrocyte invasion. *PLoS Pathog* 3: e107

Cortes A, Deitsch KW (2017) Malaria Epigenetics. *Cold Spring Harbor perspectives in medicine* 7: a025528

Cottrell G, Musset L, Hubert V, Le Bras J, Clain J (2014) Emergence of resistance to atovaquone-proguanil in malaria parasites: insights from computational modeling and clinical case reports. *Antimicrobial Agents and Chemotherapy* 58: 4504-4514

Counihan NA, Chisholm SA, Bullen HE, Srivastava A, Sanders PR, Jonsdottir TK, Weiss GE, Ghosh S, Crabb BS, Creek DJ, Gilson PR, de Koning-Ward TF (2017) *Plasmodium falciparum* parasites deploy RhopH2 into the host erythrocyte to obtain nutrients, grow and replicate. *Elife* 6: e23217

Cowman AF, Healer J, Marapana D, Marsh K (2016) Malaria: Biology and Disease. *Cell* 167: 610-624

Crawley J, Chu C, Mtove G, Nosten F (2010) Malaria in children. *The Lancet* 375: 1468-1481

Crowley VM, Rovira-Graells N, Ribas de Pouplana L, Cortes A (2011) Heterochromatin formation in bistable chromatin domains controls the epigenetic repression of clonally variant *Plasmodium falciparum* genes linked to erythrocyte invasion. *Mol Microbiol* 80: 391-406

Das S, Jang IK, Barney B, Peck R, Rek JC, Arinaitwe E, Adrama H, Murphy M, Imwong M, Ling CL, Proux S, Haohankhunnatham W, Rist M, Seilie AM, Hanron A, Daza G, Chang M, Nakamura T, Kalnoky M, Labarre P, Murphy SC, McCarthy JS, Nosten F, Greenhouse B, Allauzen S, Domingo GJ (2017) Performance of a High-Sensitivity Rapid Diagnostic Test for *Plasmodium falciparum* Malaria in Asymptomatic Individuals from Uganda and Myanmar and Naive Human Challenge Infections. *The American journal of tropical medicine and hygiene* 97: 1540-1550

Day KP, Karamalis F, Thompson J, Barnes DA, Peterson C, Brown H, Brown GV, Kemp DJ (1993) Genes necessary for expression of a virulence determinant and for transmission of *Plasmodium falciparum* are located on a 0.3-megabase region of chromosome 9. *Proceedings of the National Academy of Sciences* 90: 8292-8296

Day T (2016) Interpreting phenotypic antibiotic tolerance and persister cells as evolution via epigenetic inheritance. *Molecular ecology* 25: 1869-1882

Deitsch K, Duraisingh M, Dzikowski R, Gunasekera A, Khan S, Le Roch K, Llinas M, Mair G, McGovern V, Roos D, Shock J, Sims J, Wiegand R, Winzeler E (2007) Mechanisms of gene regulation in *Plasmodium*. *The American journal of tropical medicine and hygiene* 77: 201-208

del Portillo HA, Fernandez-Becerra C, Bowman S, Oliver K, Preuss M, Sanchez CP, Schneider NK, Villalobos JM, Rajandream M-A, Harris D, da Silva LHP, Barrell B, Lanzer M (2001) A superfamily of variant genes encoded in the subtelomeric region of *Plasmodium vivax*. *Nature* 410: 839-842

Desai M, ter Kuile FO, Nosten F, McGready R, Asamo K, Brabin B, Newman RD (2007) Epidemiology and burden of malaria in pregnancy. *The Lancet Infectious Diseases* 7: 93-104

Desai SA (2012) Ion and nutrient uptake by malaria parasite-infected erythrocytes. *Cellular microbiology* 14: 1003-1009

Desai SA (2013) Insights gained from *P. falciparum* cultivation in modified media. *ScientificWorldJournal* 2013: 363505

Desai SA, Alkhalil A, Kang M, Ashfaq U, Nguyen ML (2005) Plasmodial surface anion channel-independent phloridzin resistance in *Plasmodium falciparum*. *J Biol Chem* 280: 16861-16867

Desai SA, Bezrukov SM, Zimmerberg J (2000) A voltage-dependent channel involved in nutrient uptake by red blood cells infected with the malaria parasite. *Nature* 406: 1001-1005

Dhingra SK, Redhi D, Combrinck JM, Yeo T, Okombo J, Henrich PP, Cowell AN, Gupta P, Stegman ML, Hoke JM, Cooper RA, Winzeler E, Mok S, Egan TJ, Fidock DA (2017) A Variant PfCRT Isoform Can Contribute to *Plasmodium falciparum* Resistance to the First-Line Partner Drug Piperaquine. *mBio* 8: e00303-17

Dimonte S, Bruske EI, Hass J, Supan C, Salazar CL, Held J, Tschan S, Esen M, Flotenmeyer M, Koch I, Berger J, Bachmann A, Sim BK, Hoffman SL, Kremsner PG, Mordmuller B, Frank M (2016)

Sporozoite Route of Infection Influences In Vitro *var* Gene Transcription of *Plasmodium falciparum* Parasites From Controlled Human Infections. *The Journal of infectious diseases* 214: 884-894

Dogovski C, Xie SC, Burgio G, Bridgford J, Mok S, McCaw JM, Chotivanich K, Kenny S, Gnadig N, Straimer J, Bozdech Z, Fidock DA, Simpson JA, Dondorp AM, Foote S, Klonis N, Tilley L (2015) Targeting the cell stress response of *Plasmodium falciparum* to overcome artemisinin resistance. *PLoS biology* 13: e1002132

Dondorp AM, Nosten F, Yi P, Das D, Phyo AP, Tarning J, Lwin KM, Ariey F, Hanpithakpong W, Lee SJ, Ringwald P, Silamut K, Imwong M, Chotivanich K, Lim P, Herdman T, An SS, Yeung S, Singhasivanon P, Day NP, Lindegardh N, Socheat D, White NJ (2009) Artemisinin resistance in *Plasmodium falciparum* malaria. *N Engl J Med* 361: 455-467

Doolan DL, Dobano C, Baird JK (2009) Acquired immunity to malaria. *Clin Microbiol Rev* 22: 13-36, Table of Contents

Dorman EK, Shulman CE, Kingdom J, Bulmer JN, Mwendwa J, Peshu N, Marsh K (2002) Impaired uteroplacental blood flow in pregnancies complicated by *falciparum* malaria. *Ultrasound in obstetrics & gynecology : the official journal of the International Society of Ultrasound in Obstetrics and Gynecology* 19: 165-170

Douglas NM, Lampah DA, Kenangalem E, Simpson JA, Poespoprodjo JR, Sugiarto P, Anstey NM, Price RN (2013) Major burden of severe anemia from non-*falciparum* malaria species in Southern Papua: a hospital-based surveillance study. *PLoS medicine* 10: e1001575; discussion e1001575

Duraisingh MT, Triglia T, Ralph SA, Rayner JC, Barnwell JW, McFadden GI, Cowman AF (2003) Phenotypic variation of *Plasmodium falciparum* merozoite proteins directs receptor targeting for invasion of human erythrocytes. *The EMBO journal* 22: 1047-1057

Duru V, Khim N, Leang R, Kim S, Domergue A, Kloeung N, Ke S, Chy S, Eam R, Khean C, Loch K, Ken M, Lek D, Beghain J, Ariey F, Guerin PJ, Huy R, Mercereau-Puijalon O, Witkowski B, Menard D (2015) *Plasmodium falciparum* dihydroartemisinin-piperaquine failures in Cambodia are associated with mutant K13 parasites presenting high survival rates in novel piperaquine in vitro assays: retrospective and prospective investigations. *BMC medicine* 13: 305

Dyer M, Day KP (2000) Commitment to Gametocytogenesis in *Plasmodium falciparum*. *Parasitology Today* 16: 102-107

Egan WJ, Merz KM, Baldwin JJ (2000) Prediction of Drug Absorption Using Multivariate Statistics. *Journal of Medicinal Chemistry* 43: 3867-3877

Elford BC, Haynes JD, Chulay JD, Wilson RJM (1985) Selective stage-specific changes in the permeability to small hydrophilic solutes of human erythrocytes infected with *Plasmodium falciparum*. *Molecular and biochemical parasitology* 16: 43-60

Elliotson J (1844) *The principles and practice of medicine*, Philadelphia, Pa.

Etzion Z, Murray MC, Perkins ME (1991) Isolation and characterization of rhoptries of *Plasmodium falciparum*. *Molecular and biochemical parasitology* 47: 51-61

Farooq U, Mahajan RC (2004) Drug resistance in malaria. *J Vector Borne Dis* 41(3-4): 45-53

Ferreira PE, Culleton R, Gil JP, Meshnick SR (2013) Artemisinin resistance in *Plasmodium falciparum*: what is it really? *Trends in parasitology* 29: 318-320

Flueck C, Bartfai R, Volz J, Niederwieser I, Salcedo-Amaya AM, Alako BT, Ehlgen F, Ralph SA, Cowman AF, Bozdech Z, Stunnenberg HG, Voss TS (2009) *Plasmodium falciparum* heterochromatin protein 1 marks genomic loci linked to phenotypic variation of exported virulence factors. *PLoS pathogens* 5: e1000569

Freitas-Junior LH, Bottius E, Pirrit LA, Deitsch KW, Scheidig C, Guinet F, Nehrbass U, Wellems TE, Scherf A (2000) Frequent ectopic recombination of virulence factor genes in telomeric chromosome clusters of *P. falciparum*. *Nature* 407: 1018-1022

Fried M, Duffy PE (1996) Adherence of *Plasmodium falciparum* to Chondroitin Sulfate A in the Human Placenta. *Science* 272: 1502-1504

Gabryszewski SJ, Dhingra SK, Combrinck JM, Lewis IA, Callaghan PS, Hassett MR, Siriwardana A, Henrich PP, Lee AH, Gnadig NF, Musset L, Llinas M, Egan TJ, Roepe PD, Fidock DA (2016a) Evolution of Fitness Cost-Neutral Mutant PfCRT Conferring *P. falciparum* 4-Aminoquinoline Drug Resistance Is Accompanied by Altered Parasite Metabolism and Digestive Vacuole Physiology. *PLoS pathogens* 12: e1005976

Gabryszewski SJ, Modchang C, Musset L, Chookajorn T, Fidock DA (2016b) Combinatorial Genetic Modeling of pfCRT-Mediated Drug Resistance Evolution in *Plasmodium falciparum*. *Molecular biology and evolution* 33: 1554-1570

Ganesan K, Ponmee N, Jiang L, Fowble JW, White J, Kamchonwongpaisan S, Yuthavong Y, Wilairat P, Rathod PK (2008) A genetically hard-wired metabolic transcriptome in *Plasmodium falciparum* fails to mount protective responses to lethal antifolates. *PLoS pathogens* 4: e1000214

Gardiner DL, Spielmann T, Dixon MW, Hawthorne PL, Ortega MR, Anderson KL, Skinner-Adams TS, Kemp DJ, Trenholme KR (2004) CLAG9 is located in the rhoptries of *Plasmodium falciparum*. *Parasitology research* 93: 64-67

Gething PW, Van Boeckel TP, Smith DL, Guerra CA, Patil AP, Snow RW, Hay SI (2011) Modelling the global constraints of temperature on transmission of *Plasmodium falciparum* and *P. vivax*. *Parasites & vectors* 4: 92

- Gillrie MR, Renaux B, Russell-Goldman E, Avril M, Brazier AJ, Mihara K, Di Cera E, Milner DA, Jr., Hollenberg MD, Smith JD, Ho M (2016) Thrombin Cleavage of *Plasmodium falciparum* Erythrocyte Membrane Protein 1 Inhibits Cytoadherence. *mBio* 7: e01120-16
- Ginsburg H, Kutner S, Krugliak M, Cabantchik ZI (1985) Characterization of permeation pathways appearing in the host membrane of *Plasmodium falciparum* infected red blood cells. *Mol Biochem Parasitol* 14: 313-322
- Goel S, Valiyaveetil M, Achur RN, Goyal A, Mattei D, Salanti A, Trenholme KR, Gardiner DL, Gowda DC (2010) Dual stage synthesis and crucial role of cytoadherence-linked asexual gene 9 in the surface expression of malaria parasite *var* proteins. *Proceedings of the National Academy of Sciences of the United States of America* 107: 16643-16648
- Gomez-Perez GP, Legarda A, Munoz J, Sim BK, Ballester MR, Dobano C, Moncunill G, Campo JJ, Cistero P, Jimenez A, Barrios D, Mordmuller B, Pardos J, Navarro M, Zita CJ, Nhamuave CA, Garcia-Basteiro AL, Sanz A, Aldea M, Manoj A, Gunasekera A, Billingsley PF, Aponte JJ, James ER, Guinovart C, Antonijoan RM, Kremsner PG, Hoffman SL, Alonso PL (2015) Controlled human malaria infection by intramuscular and direct venous inoculation of cryopreserved *Plasmodium falciparum* sporozoites in malaria-naive volunteers: effect of injection volume and dose on infectivity rates. *Malaria journal* 14: 306
- Goodman CD, Siregar JE, Mollard V, Vega-Rodriguez J, Syafruddin D, Matsuoka H, Matsuzaki M, Toyama T, Sturm A, Cozijnsen A, Jacobs-Lorena M, Kita K, Marzuki S, McFadden GI (2016) Parasites resistant to the antimalarial atovaquone fail to transmit by mosquitoes. *Science* 352: 349-353
- Grewal SIS, Bonaduce MJ, Klar AJS (1998) Histone Deacetylase Homologs Regulate Epigenetic Inheritance of Transcriptional Silencing and Chromosome Segregation in Fission Yeast. *Genetics* 150: 563-576
- Gupta A, Thiruvengadam G, Desai SA (2015) The conserved *clag* multigene family of malaria parasites: essential roles in host-pathogen interaction. *Drug resistance updates : reviews and commentaries in antimicrobial and anticancer chemotherapy* 18: 47-54
- Hafalla JC, Silvie O, Matuschewski K (2011) Cell biology and immunology of malaria. *Immunological reviews* 240: 297-316
- Hastings IM, Watkins WM (2005) Intensity of malaria transmission and the evolution of drug resistance. *Acta tropica* 94: 218-229
- Hill DA, Desai SA (2010) Malaria parasite mutants with altered erythrocyte permeability: a new drug resistance mechanism and important molecular tool. *Future Microbiol* 5: 81-97
- Hill DA, Pillai AD, Nawaz F, Hayton K, Doan L, Lisk G, Desai SA (2007) A blasticidin S-resistant *Plasmodium falciparum* mutant with a defective plasmodial surface anion channel. *Proceedings of the National Academy of Sciences of the United States of America* 104: 1063-1068

Hisschemöller M, Hoppe R (1995) Coping with intractable controversies: The case for problem structuring in policy design and analysis. *Knowledge and Policy* 8: 40-60

Holder AA, Freeman RR, Uni S, Aikawa M (1985) Isolation of a *Plasmodium falciparum* rhoptry protein. *Molecular and biochemical parasitology* 14: 293-303

Homewood CA, Neame KD (1974) Malaria and the permeability of the host erythrocyte. *Nature* 252: 718-719

Howitt CA, Wilinski D, Llinas M, Templeton TJ, Dzikowski R, Deitsch KW (2009) Clonally variant gene families in *Plasmodium falciparum* share a common activation factor. *Molecular microbiology* 73: 1171-1185

Huber SM, Duranton C, Henke G, Van De Sand C, Heussler V, Shumilina E, Sandu CD, Tanneur V, Brand V, Kasinathan RS, Lang KS, Kreamsner PG, Hubner CA, Rust MB, Dedek K, Jentsch TJ, Lang F (2004) *Plasmodium* induces swelling-activated ClC-2 anion channels in the host erythrocyte. *The Journal of biological chemistry* 279: 41444-41452

Imwong M, Suwannasin K, Kunasol C, Sutawong K, Mayxay M, Rekol H, Smithuis FM, Hlaing TM, Tun KM, van der Pluijm RW, Tripura R, Miotto O, Menard D, Dhorda M, Day NPJ, White NJ, Dondorp AM (2017) The spread of artemisinin-resistant *Plasmodium falciparum* in the Greater Mekong subregion: a molecular epidemiology observational study. *The Lancet Infectious Diseases* 17: 491-497

Ingasia LA, Akala HM, Imbuga MO, Opot BH, Eyase FL, Johnson JD, Bulimo WD, Kamau E (2015) Molecular Characterization of the Cytochrome b Gene and In Vitro Atovaquone Susceptibility of *Plasmodium falciparum* Isolates from Kenya. *Antimicrobial Agents and Chemotherapy* 59: 1818-1821

Iriko H, Kaneko O, Otsuki H, Tsuboi T, Su XZ, Tanabe K, Torii M (2008) Diversity and evolution of the *rhop1/clag* multigene family of *Plasmodium falciparum*. *Molecular and biochemical parasitology* 158: 11-21

Ito D, Schureck MA, Desai SA (2017) An essential dual-function complex mediates erythrocyte invasion and channel-mediated nutrient uptake in malaria parasites. *Elife* 6: e23485.

Jablonka E, Lamb MJ (1995) The role of epigenetic inheritance systems in adaptive evolution. In *Epigenetic Inheritance and Evolution: The Lamarckian Dimension*. Oxford University Press

Janssen CS, Phillips RS, Turner CM, Barrett MP (2004) *Plasmodium* interspersed repeats: the major multigene superfamily of malaria parasites. *Nucleic acids research* 32: 5712-5720

Jennings RM, DE Souza JB, Todd JE, Armstrong M, Flanagan KL, Riley EM, Doherty JF (2006) Imported *Plasmodium falciparum* malaria: are patients originating from disease-endemic areas

less likely to develop severe disease? A prospective, observational study. *The American journal of tropical medicine and hygiene* 75(6): 1195-1199

Jiang L, Lopez-Barragan MJ, Jiang H, Mu J, Gaur D, Zhao K, Felsenfeld G, Miller LH (2010) Epigenetic control of the variable expression of a *Plasmodium falciparum* receptor protein for erythrocyte invasion. *Proceedings of the National Academy of Sciences of the United States of America* 107: 2224-2229

John CC (2016) Primaquine plus artemisinin combination therapy for reduction of malaria transmission: promise and risk. *BMC medicine* 14: 65

Kafsack BF, Rovira-Graells N, Clark TG, Bancells C, Crowley VM, Campino SG, Williams AE, Drought LG, Kwiatkowski DP, Baker DA, Cortes A, Llinas M (2014) A transcriptional switch underlies commitment to sexual development in malaria parasites. *Nature* 507: 248-252

Kaneko O (2007) Erythrocyte invasion: vocabulary and grammar of the *Plasmodium* rhoptry. *Parasitology international* 56: 255-262

Kaneko O, Tsuboi T, Ling IT, Howell S, Shirano M, Tachibana M, Cao YM, Holder AA, Torii M (2001) The high molecular mass rhoptry protein, RhopH1, is encoded by members of the *clag* multigene family in *Plasmodium falciparum* and *Plasmodium yoelii*. *Molecular and biochemical parasitology* 118: 223-231

Kaneko O, Yim Lim BY, Iriko H, Ling IT, Otsuki H, Grainger M, Tsuboi T, Adams JH, Mattei D, Holder AA, Torii M (2005) Apical expression of three RhopH1/Clag proteins as components of the *Plasmodium falciparum* RhopH complex. *Molecular and biochemical parasitology* 143: 20-28

Karunamoorthi K (2011) Vector control: a cornerstone in the malaria elimination campaign. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases* 17: 1608-1616

Kirk K, Horner HA, Elford BC, Ellory JC, Newbold CI (1994) Transport of diverse substrates into malaria-infected erythrocytes via a pathway showing functional characteristics of a chloride channel. *Journal of Biological Chemistry* 269: 3339-3347

Kirk K, Horner HA, Spillett DJ, Elford BC (1993) Glibenclamide and meglitinide block the transport of low molecular weight solutes into malaria-infected erythrocytes. *FEBS letters* 323: 123-128

Krudsood S, Patel SN, Tangpukdee N, Thanachartwet W, Leowattana W, Pornpininworakij K, Boggild AK, Looareesuwan S, Kain KC (2007) Efficacy of atovaquone-proguanil for treatment of acute multidrug-resistant *Plasmodium falciparum* malaria in Thailand. *The American journal of tropical medicine and hygiene* 76(4): 655-658

Kuhn S, Gill MJ, Kain KC (2005) Emergence of atovaquone-proguanil resistance during treatment of *Plasmodium falciparum* malaria acquired by a non-immune north American traveller to west Africa. *Am J Trop Med Hyg* 72(4): 407–409

Kutner S, Baruch D, Ginsburg H, Cabantchik ZI (1982) Alterations in membrane permeability of malaria-infected human erythrocytes are related to the growth stage of the parasite. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 687: 113-117

Kutner S, Breuer WV, Ginsburg H, Cabantchik ZI (1987) On the mode of action of phlorizin as an antimalarial agent in in vitro cultures of *Plasmodium falciparum*. *Biochemical Pharmacology* 36: 123-129

Kutner S, Breuer WV, Ginsburg H, Aley SB, Cabantchik ZI (1985) Characterization of permeation pathways in the plasma membrane of human erythrocytes infected with early stages of *Plasmodium falciparum*: Association with parasite development. *Journal of Cellular Physiology* 125: 521-527

Kyes SA, Rowe JA, Kriek N, Newbold CI (1999) Rifins: A second family of clonally variant proteins expressed on the surface of red cells infected with *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences* 96: 9333-9338

Le Bras J, Durand R (2003) The mechanisms of resistance to antimalarial drugs in *Plasmodium falciparum*. *Fundamental and Clinical Pharmacology* 17: 147-153

Le Roch KG, Johnson JR, Ahiboh H, Chung DW, Prudhomme J, Plouffe D, Henson K, Zhou Y, Witola W, Yates JR, Mamoun CB, Winzeler EA, Vial H (2008) A systematic approach to understand the mechanism of action of the bithiazolium compound T4 on the human malaria parasite, *Plasmodium falciparum*. *BMC genomics* 9: 513

Lehane AM, Hayward R, Saliba KJ, Kirk K (2008) A verapamil-sensitive chloroquine-associated H⁺ leak from the digestive vacuole in chloroquine-resistant malaria parasites. *Journal of cell science* 121: 1624-1632

Lewis IA, Wacker M, Olszewski KL, Cobbold SA, Baska KS, Tan A, Ferdig MT, Llinas M (2014) Metabolic QTL analysis links chloroquine resistance in *Plasmodium falciparum* to impaired hemoglobin catabolism. *PLoS genetics* 10: e1004085

Lim P, Alker AP, Khim N, Shah NK, Incardona S, Doung S, Yi P, Bouth DM, Bouchier C, Puijalon OM, Meshnick SR, Wongsrichanalai C, Fandeur T, Le Bras J, Ringwald P, Ariey F (2009) *pfmdr1* copy number and artemisinin derivatives combination therapy failure in *falciparum* malaria in Cambodia. *Malaria journal* 8: 11

Lindblade KA, Steinhardt L, Samuels A, Kachur SP, Slutsker L (2013) The silent threat: asymptomatic parasitemia and malaria transmission. *Expert review of anti-infective therapy* 11: 623-639

Lisk G, Pain M, Gluzman IY, Kambhampati S, Furuya T, Su XZ, Fay MP, Goldberg DE, Desai SA (2008) Changes in the plasmodial surface anion channel reduce leupeptin uptake and can confer drug resistance in *Plasmodium falciparum*-infected erythrocytes. *Antimicrob Agents Chemother* 52: 2346-2354

Lisk G, Scott S, Solomon T, Pillai AD, Desai SA (2007) Solute-Inhibitor Interactions in the Plasmodial Surface Anion Channel Reveal Complexities in the Transport Process. *Molecular pharmacology* 71: 1241-1250

Looareesuwan S, Hutchinson DB, Viravan C, Kyle DE, Canfield CJ, Webster HK (1996) Clinical Studies of Atovaquone, Alone or in Combination with other Antimalarial Drugs, for Treatment of Acute Uncomplicated Malaria in Thailand. *The American journal of tropical medicine and hygiene* 54: 62-66

Lopez-Rubio JJ, Gontijo AM, Nunes MC, Issar N, Hernandez Rivas R, Scherf A (2007) 5' flanking region of *var* genes nucleate histone modification patterns linked to phenotypic inheritance of virulence traits in malaria parasites. *Molecular microbiology* 66: 1296-1305

Lopez-Rubio JJ, Mancio-Silva L, Scherf A (2009) Genome-wide analysis of heterochromatin associates clonally variant gene regulation with perinuclear repressive centers in malaria parasites. *Cell host & microbe* 5: 179-190

Lopez C, Saravia C, Gomez A, Hoebeke J, Patarroyo MA (2010) Mechanisms of genetically-based resistance to malaria. *Gene* 467: 1-12

Lu F, Culleton R, Zhang M, Ramaprasad A, von Seidlein L, Zhou H, Zhu G, Tang J, Liu Y, Wang W, Cao Y, Xu S, Gu Y, Li J, Zhang C, Gao Q, Menard D, Pain A, Yang H, Zhang Q, Cao J (2017) Emergence of Indigenous Artemisinin-Resistant *Plasmodium falciparum* in Africa. *The New England journal of medicine* 376: 991-993

Lynch M, Sung W, Morris K, Coffey N, Landry CR, Dopman EB, Dickinson WJ, Okamoto K, Kulkarni S, Hartl DL, Thomas WK (2008) A genome-wide view of the spectrum of spontaneous mutations in yeast. *Proceedings of the National Academy of Sciences of the United States of America* 105: 9272-9277

Mackinnon MJ, Marsh K (2010) The Selection Landscape of Malaria Parasites. *Science* 328: 866-871

MacPherson GG, Warrell MJ, White NJ, Looareesuwan S, Warrell DA (1985) Human cerebral malaria. A quantitative ultrastructural analysis of parasitized erythrocyte sequestration. *The American Journal of Pathology* 119: 385-401

Maegraith BG (1989) Malaria. In *Clinical Tropical diseases*, Adams, BG M (eds), Ninth edn, p 201-246. London: Blackwell Scientific Publications

Magistrado PA, Corey VC, Lukens AK, LaMonte G, Sasaki E, Meister S, Wree M, Winzeler E, Wirth DF (2016) *Plasmodium falciparum* Cyclic Amine Resistance Locus (PfCARL), a Resistance Mechanism for Two Distinct Compound Classes. *ACS infectious diseases* 2: 816-826

Maier AG, Duraisingh MT, Reeder JC, Patel SS, Kazura JW, Zimmerman PA, Cowman AF (2003) *Plasmodium falciparum* erythrocyte invasion through glycophorin C and selection for Gerbich negativity in human populations. *Nature medicine* 9: 87-92

MalariaGEN (2016) MalariaGEN *Plasmodium falciparum* Community Project. Genomic epidemiology of artemisinin resistant malaria. *eLife* 5: e08714

Malisa A, Pearce R, Mutayoba B, Abdullah S, Mshinda H, Kachur P, Bloland P, Roper C (2011) Media, health workers, and policy makers' relationship and their impact on antimalarial policy adoption: a population genetics perspective. *Malaria research and treatment* 2011: 217276

Mancio-Silva L, Slavic K, Grilo Ruivo MT, Grosso AR, Modrzynska KK, Vera IM, Sales-Dias J, Gomes AR, MacPherson CR, Crozet P, Adamo M, Baena-Gonzalez E, Tewari R, Llinas M, Billker O, Mota MM (2017) Nutrient sensing modulates malaria parasite virulence. *Nature* 547: 213-216

Maubert B, Guilbert LJ, Deloron P (1997) Cytoadherence of *Plasmodium falciparum* to Intercellular Adhesion Molecule 1 and Chondroitin-4-Sulfate Expressed by the Syncytiotrophoblast in the Human Placenta. *Infection and immunity* 65 no. 4: 1251-1257

Maude RJ, Nguon C, Dondorp AM, White LJ, White NJ (2014) The diminishing returns of atovaquone-proguanil for elimination of *Plasmodium falciparum* malaria: modelling mass drug administration and treatment. *Malaria journal* 13: 380

Mbengue A, Bhattacharjee S, Pandharkar T, Liu H, Estiu G, Stahelin RV, Rizk SS, Njimoh DL, Ryan Y, Chotivanich K, Nguon C, Ghorbal M, Lopez-Rubio JJ, Pfrender M, Emrich S, Mohandas N, Dondorp AM, Wiest O, Haldar K (2015) A molecular mechanism of artemisinin resistance in *Plasmodium falciparum* malaria. *Nature* 520: 683-687

Menard D, Dondorp A (2017) Antimalarial Drug Resistance: A Threat to Malaria Elimination. *Cold Spring Harbor perspectives in medicine* 7

Menard D, Khim N, Beghain J, Adegnika AA, Shafiul-Alam M, Amodu O, Rahim-Awab G, Barnadas C, Berry A, Boum Y, Bustos MD, Cao J, Chen JH, Collet L, Cui L, Thakur GD, Dieye A, Djalle D, Dorkenoo MA, Eboumbou-Moukoko CE, Espino FE, Fandeur T, Ferreira-da-Cruz MF, Fola AA, Fuehrer HP, Hassan AM, Herrera S, Hongvanthong B, Houze S, Ibrahim ML, Jahirul-Karim M, Jiang L, Kano S, Ali-Khan W, Khanthavong M, Kreamsner PG, Lacerda M, Leang R, Leelawong M, Li M, Lin K, Mazarati JB, Menard S, Morlais I, Muhindo-Mavoko H, Musset L, Na-Bangchang K, Nambozi M, Niare K, Noedl H, Ouedraogo JB, Pillai DR, Pradines B, Quang-Phuc B, Ramharther M, Randrianarivelojosa M, Sattabongkot J, Sheikh-Omar A, Silue KD, Sirima SB, Sutherland C, Syafruddin D, Tahar R, Tang LH, Toure OA, Tshibangu-wa-Tshibangu P, Vigan-Womas I, Warsame M, Wini L, Zakeri S, Kim S, Eam R, Berne L, Khean C, Chy S, Ken M, Loch K, Canier L, Duru V,

Legrand E, Barale JC, Stokes B, Straimer J, Witkowski B, Fidock DA, Rogier C, Ringwald P, Arieu F, Mercereau-Puijalon O, Consortium K (2016) A Worldwide Map of *Plasmodium falciparum* K13-Propeller Polymorphisms. *The New England journal of medicine* 374: 2453-2464

Miller LH, Baruch DI, Marsh K, Doumbo OK (2002) The pathogenic basis of malaria. *Nature* 415: 673-679

Miotto O, Amato R, Ashley EA, MacInnis B, Almagro-Garcia J, Amaratunga C, Lim P, Mead D, Oyola SO, Dhorda M, Imwong M, Woodrow C, Manske M, Stalker J, Drury E, Campino S, Amenga-Etego L, Thanh TN, Tran HT, Ringwald P, Bethell D, Nosten F, Phyo AP, Pukrittayakamee S, Chotivanich K, Chuor CM, Nguon C, Suon S, Sreng S, Newton PN, Mayxay M, Khanthavong M, Hongvanthong B, Htut Y, Han KT, Kyaw MP, Faiz MA, Fanello CI, Onyamboko M, Mokuolu OA, Jacob CG, Takala-Harrison S, Plowe CV, Day NP, Dondorp AM, Spencer CC, McVean G, Fairhurst RM, White NJ, Kwiatkowski DP (2015) Genetic architecture of artemisinin-resistant *Plasmodium falciparum*. *Nature genetics* 47: 226-234

Mira-Martinez S, Rovira-Graells N, Crowley VM, Altenhofen LM, Llinas M, Cortes A (2013) Epigenetic switches in *clag3* genes mediate blasticidin S resistance in malaria parasites. *Cell Microbiol* 15: 1913-1923

Mira-Martinez S, van Schuppen E, Amambua-Ngwa A, Bottieau E, Affara M, Van Esbroeck M, Vlieghe E, Guetens P, Rovira-Graells N, Gomez-Perez GP, Alonso PL, D'Alessandro U, Rosanas-Urgell A, Cortes A (2017) Expression of the *Plasmodium falciparum* Clonally Variant *clag3* Genes in Human Infections. *J Infect Dis* 215: 938-945

Mok S, Ashley EA, Ferreira PE, Zhu L, Lin Z, Yeo T, Chotivanich K, Imwong M, Pukrittayakamee S, Dhorda M, Nguon C, Lim P, Amaratunga C, Suon S, Hien TT, Htut Y, Faiz MA, Onyamboko MA, Mayxay M, Newton PN, Tripura R, Woodrow CJ, Miotto O, Kwiatkowski DP, Nosten F, Day NP, Preiser PR, White NJ, Dondorp AM, Fairhurst RM, Bozdech Z (2015) Drug resistance. Population transcriptomics of human malaria parasites reveals the mechanism of artemisinin resistance. *Science* 347: 431-435

Mok S, Imwong M, Mackinnon MJ, Sim J, Ramadoss R, Yi P, Mayxay M, Chotivanich K, Liong KY, Russell B, Socheat D, Newton PN, Day NP, White NJ, Preiser PR, Nosten F, Dondorp AM, Bozdech Z (2011) Artemisinin resistance in *Plasmodium falciparum* is associated with an altered temporal pattern of transcription. *BMC genomics* 12: 391

Montgomery J, Mphande FA, Berriman M, Pain A, Rogerson SJ, Taylor TE, Molyneux ME, Craig A (2007) Differential *var* gene expression in the organs of patients dying of *falciparum* malaria. *Molecular microbiology* 65: 959-967

Muller J, Ley S, Felger I, Hemphill A, Muller N (2008) Identification of differentially expressed genes in a *Giardia lamblia* WB C6 clone resistant to nitazoxanide and metronidazole. *The Journal of antimicrobial chemotherapy* 62: 72-82

- Nacer A, Roux E, Pomel S, Scheidig-Benatar C, Sakamoto H, Lafont F, Scherf A, Mattei D (2011) *clag9* is not essential for PfEMP1 surface expression in non-cytoadherent *Plasmodium falciparum* parasites with a chromosome 9 deletion. *PLoS one* 6: e29039
- Nair S, Miller B, Barends M, Jaidee A, Patel J, Mayxay M, Newton P, Nosten F, Ferdig MT, Anderson TJ (2008) Adaptive copy number evolution in malaria parasites. *PLoS genetics* 4: e1000243
- Nawaz F, Nsobya SL, Kiggundu M, Joloba M, Rosenthal PJ (2009) Selection of parasites with diminished drug susceptibility by amodiaquine-containing antimalarial regimens in Uganda. *The Journal of infectious diseases* 200: 1650-1657
- Neame KD, Homewood CA (1975) Alterations in the permeability of mouse erythrocytes infected with the malaria parasite, *Plasmodium berghei*. *International journal for parasitology* 5: 537-540
- Neiva A (1910) Formação de raça do hematozoário do impaludismo resistente à quinina. *Memórias do Instituto Oswaldo Cruz* 2, 1: 131–140
- Nguitragool W, Bokhari AA, Pillai AD, Rayavara K, Sharma P, Turpin B, Aravind L, Desai SA (2011) Malaria parasite *clag3* genes determine channel-mediated nutrient uptake by infected red blood cells. *Cell* 145: 665-677
- Nguitragool W, Rayavara K, Desai SA (2014) Proteolysis at a specific extracellular residue implicates integral membrane CLAG3 in malaria parasite nutrient channels. *PLoS one* 9: e93759
- Nocht B, Werner H (1910) Beobachtungen über eine relative Chininresistenz bei malaria aus Brasilien. *Dtsch Med Wochenschr* 36: 1557–1560
- Nosten F, ter Kuile F, Chongsuphajaisiddhi T, Luxemburger C, Webster HK, Edstein M, Phaipun L, Thew KL, White NJ (1991) Mefloquine-resistant *falciparum* malaria on the Thai-Burmese border. *Lancet* 337: 1140-1143
- Nosten F, White NJ (2007) Artemisinin-based combination treatment of *falciparum* malaria. *The American journal of tropical medicine and hygiene* 77: 181-192
- Nsagha DS, Njunda AL, Kamga HL, Nsagha SM, Nguedia Assob JC, Wiysonge CS, Tabah EN, Njamnshi AK (2011) Knowledge and practices relating to malaria in a semi-urban area of Cameroon: choices and sources of antimalarials, self-treatment and resistance. *The Pan African Medical Journal* 8: 98-102
- Otto TD, Wilinski D, Assefa S, Keane TM, Sarry LR, Bohme U, Lemieux J, Barrell B, Pain A, Berriman M, Newbold C, Llinas M (2010) New insights into the blood-stage transcriptome of *Plasmodium falciparum* using RNA-Seq. *Molecular microbiology* 76: 12-24

Ouedraogo AL, Bousema T, Schneider P, de Vlas SJ, Ilboudo-Sanogo E, Cuzin-Ouattara N, Nebie I, Roeffen W, Verhave JP, Luty AJ, Sauerwein R (2009) Substantial contribution of submicroscopical *Plasmodium falciparum* gametocyte carriage to the infectious reservoir in an area of seasonal transmission. *PLoS one* 4: e8410

Ouedraogo AL, Goncalves BP, Gneme A, Wenger EA, Guelbeogo MW, Ouedraogo A, Gerardin J, Bever CA, Lyons H, Pitroipa X, Verhave JP, Eckhoff PA, Drakeley C, Sauerwein R, Luty AJ, Kouyate B, Bousema T (2016) Dynamics of the Human Infectious Reservoir for Malaria Determined by Mosquito Feeding Assays and Ultrasensitive Malaria Diagnosis in Burkina Faso. *The Journal of infectious diseases* 213: 90-99

Overman RR (1948) Reversible cellular permeability alterations in disease; in vivo studies on sodium, potassium and chloride concentrations in erythrocytes of the malarious monkey. *The American journal of physiology* 152: 113-121

Perez-Toledo K, Rojas-Meza AP, Mancio-Silva L, Hernandez-Cuevas NA, Delgadillo DM, Vargas M, Martinez-Calvillo S, Scherf A, Hernandez-Rivas R (2009) *Plasmodium falciparum* heterochromatin protein 1 binds to tri-methylated histone 3 lysine 9 and is linked to mutually exclusive expression of *var* genes. *Nucleic acids research* 37: 2596-2606

Peters W (1987) How to prevent malaria. *Tropical doctor* 17: 1-3

Petersen I, Gabryszewski SJ, Johnston GL, Dhingra SK, Ecker A, Lewis RE, de Almeida MJ, Straimer J, Henrich PP, Palatulan E, Johnson DJ, Coburn-Flynn O, Sanchez C, Lehane AM, Lanzer M, Fidock DA (2015) Balancing drug resistance and growth rates via compensatory mutations in the *Plasmodium falciparum* chloroquine resistance transporter. *Molecular microbiology* 97: 381-395

Phillips A, Bassett P, Zeki S, Newman S, Pasvol G (2009) Risk factors for severe disease in adults with *falciparum* malaria. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 48: 871-878

Phillips MA, Burrows JN, Manyando C, van Huijsduijnen RH, Van Voorhis WC, Wells TNC (2017) Malaria. *Nature reviews Disease primers* 3: 17050

Phiri K, Kimani J, Mtove GA, Zhao Q, Rojo R, Robbins J, Duparc S, Ayoub A, Vandenbroucke P (2016) Parasitological Clearance Rates and Drug Concentrations of a Fixed Dose Combination of Azithromycin-Chloroquine in Asymptomatic Pregnant Women with *Plasmodium falciparum* Parasitemia: An Open-Label, Non-Comparative Study in Sub-Saharan Africa. *PLoS one* 11: e0165692

Phyo AP, Ashley EA, Anderson TJC, Bozdech Z, Carrara VI, Sriprawat K, Nair S, White MM, Dziekan J, Ling C, Proux S, Konghahong K, Jeeyapant A, Woodrow CJ, Imwong M, McGready R, Lwin KM, Day NPJ, White NJ, Nosten F (2016) Declining Efficacy of Artemisinin Combination Therapy Against *P. falciparum* Malaria on the Thai-Myanmar Border (2003-2013): The Role of Parasite Genetic Factors. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 63: 784-791

Piel FB (2016) The Present and Future Global Burden of the Inherited Disorders of Hemoglobin. *Hematology/oncology clinics of North America* 30: 327-341

Pillai AD, Nguitrangolo W, Lyko B, Dolinta K, Butler MM, Nguyen ST, Peet NP, Bowlin TL, Desai SA (2012) Solute restriction reveals an essential role for *clag3*-associated channels in malaria parasite nutrient acquisition. *Mol Pharmacol* 82: 1104-1114

Pillai AD, Pain M, Solomon T, Bokhari AA, Desai SA (2010) A cell-based high-throughput screen validates the plasmodial surface anion channel as an antimalarial target. *Mol Pharmacol* 77: 724-733

Plucinski MM, Talundzic E, Morton L, Dimbu PR, Macaia AP, Fortes F, Goldman I, Lucchi N, Stennies G, MacArthur JR, Udhayakumar V (2015) Efficacy of artemether-lumefantrine and dihydroartemisinin-piperaquine for treatment of uncomplicated malaria in children in Zaire and Uige Provinces, Angola. *Antimicrob Agents Chemother* 59: 437-443

Recht J, Ashley E, White N. (2014) Safety of 8-aminoquinoline antimalarial medicines. World Health Organization.

Reed MB, Caruana SR, Batchelor AH, Thompson JK, Crabb BS, Cowman AF (2000) Targeted disruption of an erythrocyte binding antigen in *Plasmodium falciparum* is associated with a switch toward a sialic acid-independent pathway of invasion. *Proceedings of the National Academy of Sciences* 97: 7509-7514

Richard D, MacRaild CA, Riglar DT, Chan JA, Foley M, Baum J, Ralph SA, Norton RS, Cowman AF (2010) Interaction between *Plasmodium falciparum* apical membrane antigen 1 and the rhoptry neck protein complex defines a key step in the erythrocyte invasion process of malaria parasites. *The Journal of biological chemistry* 285: 14815-14822

Roberts DJ, Biggs BA, Brown G, Newbold CI (1993) Protection, pathogenesis and phenotypic plasticity in *Plasmodium falciparum* malaria. *Parasitology today (Personal ed)* 9: 281-286

Rottmann M, McNamara C, Yeung BK, Lee MC, Zou B, Russell B, Seitz P, Plouffe DM, Dharia NV, Tan J, Cohen SB, Spencer KR, Gonzalez-Paez GE, Lakshminarayana SB, Goh A, Suwanarusk R, Jegla T, Schmitt EK, Beck HP, Brun R, Nosten F, Renia L, Dartois V, Keller TH, Fidock DA, Winzeler EA, Diagana TT (2010) Spiroindolones, a potent compound class for the treatment of malaria. *Science* 329: 1175-1180

Rovira-Graells N, Crowley VM, Bancells C, Mira-Martinez S, Ribas de Pouplana L, Cortes A (2015) Deciphering the principles that govern mutually exclusive expression of *Plasmodium falciparum* *clag3* genes. *Nucleic Acids Res* 43: 8243-8257

Rovira-Graells N, Gupta AP, Planet E, Crowley VM, Mok S, Ribas de Pouplana L, Preiser PR, Bozdech Z, Cortes A (2012) Transcriptional variation in the malaria parasite *Plasmodium falciparum*. *Genome Res* 22: 925-938

- Rovira-Vallbona E, Contreras-Mancilla JJ, Ramirez R, Guzman-Guzman M, Carrasco-Escobar G, Llanos-Cuentas A, Vinetz JM, Gamboa D, Rosanas-Urgell A (2017) Predominance of asymptomatic and sub-microscopic infections characterizes the *Plasmodium* gametocyte reservoir in the Peruvian Amazon. *PLoS neglected tropical diseases* 11: e0005674
- Rowe A, Obeiro J, Newbold CI, Marsh K (1995) *Plasmodium falciparum* rosetting is associated with malaria severity in Kenya. *Infection and immunity* 63(6): 2323-2326
- Sa JM, Twu O, Hayton K, Reyes S, Fay MP, Ringwald P, Wellems TE (2009) Geographic patterns of *Plasmodium falciparum* drug resistance distinguished by differential responses to amodiaquine and chloroquine. *Proceedings of the National Academy of Sciences of the United States of America* 106: 18883-18889
- Salanti A, Staalsoe T, Lavstsen T, Jensen ATR, Sowa MPK, Arnot DE, Hviid L, Theander TG (2003) Selective upregulation of a single distinctly structured *var* gene in chondroitin sulphate A-adhering *Plasmodium falciparum* involved in pregnancy-associated malaria. *Molecular microbiology* 49: 179-191
- Saliba KJ, Kirk K (1998) Uptake of an antiplasmodial protease inhibitor into *Plasmodium falciparum*-infected human erythrocytes via a parasite-induced pathway. *Molecular and biochemical parasitology* 94: 297-301
- Saliba KJ, Kirk K (2001) H⁺-coupled pantothenate transport in the intracellular malaria parasite. *The Journal of biological chemistry* 276: 18115-18121
- Sam-Yellowe TY, Florens L, Johnson JR, Wang T, Drazba JA, Le Roch KG, Zhou Y, Batalov S, Carucci DJ, Winzeler EA, Yates JR, 3rd (2004) A *Plasmodium* gene family encoding Maurer's cleft membrane proteins: structural properties and expression profiling. *Genome research* 14: 1052-1059
- Saralamba S, Pan-Ngum W, Maude RJ, Lee SJ, Tarning J, Lindegardh N, Chotivanich K, Nosten F, Day NP, Socheat D, White NJ, Dondorp AM, White LJ (2011) Intrahost modeling of artemisinin resistance in *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences of the United States of America* 108: 397-402
- Sauerwein RW, Roestenberg M, Moorthy VS (2011) Experimental human challenge infections can accelerate clinical malaria vaccine development. *Nature reviews Immunology* 11: 57-64
- Saunders DL, Chaorattanakawee S, Gosi P, Lanteri C, Somethy S, Kuntawunginn W, Ittiverakul M, Chann S, Gregory C, Chuor CM, Prom S, Spring MD, Lon C (2015) Atovaquone-Proguanil Remains a Potential Stopgap Therapy for Multidrug-Resistant *Plasmodium falciparum* in Areas along the Thai-Cambodian Border. *Antimicrob Agents Chemother* 60: 1896-1898

Saunders DL, Vanachayangkul P, Lon C, Program USAMMR, National Center for Parasitology E, Malaria C, Royal Cambodian Armed F (2014) Dihydroartemisinin-piperaquine failure in Cambodia. *The New England journal of medicine* 371: 484-485

Saxer G, Havlak P, Fox SA, Quance MA, Gupta S, Fofanov Y, Strassmann JE, Queller DC (2012) Whole genome sequencing of mutation accumulation lines reveals a low mutation rate in the social amoeba *Dictyostelium discoideum*. *PloS one* 7: e46759

Schneider P, Wolters L, Schoone G, Schallig H, Sillekens P, Hermesen R, Sauerwein R (2005) Real-time nucleic acid sequence-based amplification is more convenient than real-time PCR for quantification of *Plasmodium falciparum*. *Journal of clinical microbiology* 43: 402-405

Schuftan C. (2000) A story to be shared: the successful fight against malaria in Vietnam. <http://www.eldis.org/go/home&id=14063&type=Document#.V7KMqk2KCcp>.

Serra-Casas E, Manrique P, Ding XC, Carrasco-Escobar G, Alava F, Gave A, Rodriguez H, Contreras-Mancilla J, Rosas-Aguirre A, Speybroeck N, Gonzalez IJ, Rosanas-Urgell A (2017) Loop-mediated isothermal DNA amplification for asymptomatic malaria detection in challenging field settings: Technical performance and pilot implementation in the Peruvian Amazon. *PloS one* 12: e0185742

Sharma P, Rayavara K, Ito D, Basore K, Desai SA (2015) A CLAG3 mutation in an amphipathic transmembrane domain alters malaria parasite nutrient channels and confers leupeptin resistance. *Infection and immunity* 83: 2566-2574

Sharma P, Wollenberg K, Sellers M, Zainabadi K, Galinsky K, Moss E, Nguitrageol W, Neafsey D, Desai SA (2013) An epigenetic antimalarial resistance mechanism involving parasite genes linked to nutrient uptake. *J Biol Chem* 288: 19429-19440

Sharma R, Dutta AK (2011) Malaria and National Vector Borne Disease Control Programme. *Indian journal of pediatrics* 78: 1527-1535

Sherling ES, Knuepfer E, Brzostowski JA, Miller LH, Blackman MJ, van Ooij C (2017) The *Plasmodium falciparum* rhoptry protein RhopH3 plays essential roles in host cell invasion and nutrient uptake. *Elife* 6: e23239

Sidhu AB, Uhlemann AC, Valderramos SG, Valderramos JC, Krishna S, Fidock DA (2006) Decreasing *pfmdr1* copy number in *Plasmodium falciparum* malaria heightens susceptibility to mefloquine, lumefantrine, halofantrine, quinine, and artemisinin. *The Journal of infectious diseases* 194: 528-535

Sigala PA, Crowley JR, Henderson JP, Goldberg DE (2015) Deconvoluting heme biosynthesis to target blood-stage malaria parasites. *eLife* 4: e09143

Smith JD (2014) The role of PfEMP1 adhesion domain classification in *Plasmodium falciparum* pathogenesis research. *Molecular and biochemical parasitology* 195: 82-87

Smith NC, Bryant C, Boreham PF (1988) Possible roles for pyruvate:ferredoxin oxidoreductase and thiol-dependent peroxidase and reductase activities in resistance to nitroheterocyclic drugs in *Giardia intestinalis*. *International journal for parasitology* 18: 991-997

Spangenberg T, Burrows JN, Kowalczyk P, McDonald S, Wells TN, Willis P (2013) The open access malaria box: a drug discovery catalyst for neglected diseases. *PloS one* 8: e62906

St Laurent B, Miller B, Burton TA, Amaratunga C, Men S, Sovannaroeth S, Fay MP, Miotto O, Gwadz RW, Anderson JM, Fairhurst RM (2015) Artemisinin-resistant *Plasmodium falciparum* clinical isolates can infect diverse mosquito vectors of Southeast Asia and Africa. *Nature communications* 6: 8614

Staines HM, Alkhalil A, Allen RJ, De Jonge HR, Derbyshire E, Egee S, Ginsburg H, Hill DA, Huber SM, Kirk K, Lang F, Lisk G, Oteng E, Pillai AD, Rayavara K, Rouhani S, Saliba KJ, Shen C, Solomon T, Thomas SL, Verloo P, Desai SA (2007) Electrophysiological studies of malaria parasite-infected erythrocytes: current status. *Int J Parasitol* 37: 475-482

Staines HM, Dee BC, O'Brien M, Lang H-J, Englert H, Horner HA, Ellory JC, Kirk K (2004) Furosemide analogues as potent inhibitors of the new permeability pathways of *Plasmodium falciparum*-infected human erythrocytes. *Molecular and biochemical parasitology* 133: 315-318

Staines HM, Ellory JC, Kirk K (2001) Perturbation of the pump-leak balance for Na(+) and K(+) in malaria-infected erythrocytes. *American journal of physiology Cell physiology* 280: C1576-1587

Stead AM, Bray PG, Edwards IG, DeKoning HP, Elford BC, Stocks PA, Ward SA (2001) Diamidine compounds: selective uptake and targeting in *Plasmodium falciparum*. *Mol Pharmacol* 59: 1298-1306

Straimer J, Gnadig NF, Witkowski B, Amaratunga C, Duru V, Ramadani AP, Dacheux M, Khim N, Zhang L, Lam S, Gregory PD, Urnov FD, Mercereau-Puijalon O, Benoit-Vical F, Fairhurst RM, Menard D, Fidock DA (2015) Drug resistance. K13-propeller mutations confer artemisinin resistance in *Plasmodium falciparum* clinical isolates. *Science* 347: 428-431

Stubbs J, Simpson KM, Triglia T, Plouffe D, Tonkin CJ, Duraisingh MT, Maier AG, Winzeler EA, Cowman AF (2005) Molecular mechanism for switching of *P. falciparum* invasion pathways into human erythrocytes. *Science* 309: 1384-1387

Suguitan JAL, Leke RGF, Fouda G, Zhou A, Thuita L, Metenou S, Fogako J, Megnekou R, Taylor DW (2003) Changes in the Levels of Chemokines and Cytokines in the Placentas of Women with *Plasmodium falciparum* Malaria. *The Journal of infectious diseases* 188: 1074-1082

Sung W, Tucker AE, Doak TG, Choi E, Thomas WK, Lynch M (2012) Extraordinary genome stability in the ciliate *Paramecium tetraurelia*. *Proceedings of the National Academy of Sciences of the United States of America* 109: 19339-19344

Takala-Harrison S, Clark TG, Jacob CG, Cummings MP, Miotto O, Dondorp AM, Fukuda MM, Nosten F, Noedl H, Imwong M, Bethell D, Se Y, Lon C, Tyner SD, Saunders DL, Socheat D, Arie F, Phyo AP, Starzengruber P, Fuehrer HP, Swoboda P, Stepniewska K, Flegg J, Arze C, Cerqueira GC, Silva JC, Ricklefs SM, Porcella SF, Stephens RM, Adams M, Kenefic LJ, Campino S, Auburn S, MacInnis B, Kwiatkowski DP, Su XZ, White NJ, Ringwald P, Plowe CV (2013) Genetic loci associated with delayed clearance of *Plasmodium falciparum* following artemisinin treatment in Southeast Asia. *Proceedings of the National Academy of Sciences of the United States of America* 110: 240-245

Takala-Harrison S, Jacob CG, Arze C, Cummings MP, Silva JC, Dondorp AM, Fukuda MM, Hien TT, Mayxay M, Noedl H, Nosten F, Kyaw MP, Nhien NT, Imwong M, Bethell D, Se Y, Lon C, Tyner SD, Saunders DL, Arie F, Mercereau-Puijalon O, Menard D, Newton PN, Khanthavong M, Hongvanthong B, Starzengruber P, Fuehrer HP, Swoboda P, Khan WA, Phyo AP, Nyunt MM, Nyunt MH, Brown TS, Adams M, Pepin CS, Bailey J, Tan JC, Ferdig MT, Clark TG, Miotto O, MacInnis B, Kwiatkowski DP, White NJ, Ringwald P, Plowe CV (2015) Independent emergence of artemisinin resistance mutations among *Plasmodium falciparum* in Southeast Asia. *The Journal of infectious diseases* 211: 670-679

Takala-Harrison S, Laufer MK (2015) Antimalarial drug resistance in Africa: key lessons for the future. *Annals of the New York Academy of Sciences* 1342: 62-67

Targett GAT (1984) Interactions between chemotherapy and immunity. In *Antimalarial Drugs I. Handbook of Experimental Pharmacology*, Peters W, Richard WHG (eds), pp 331–348. Berlin: Springer-Verlag

Taylor SM, Parobek CM, DeConti DK, Kayentao K, Coulibaly SO, Greenwood BM, Tagbor H, Williams J, Bojang K, Njie F, Desai M, Kariuki S, Gutman J, Mathanga DP, Martensson A, Ngasala B, Conrad MD, Rosenthal PJ, Tshefu AK, Moormann AM, Vulule JM, Doumbo OK, Ter Kuile FO, Meshnick SR, Bailey JA, Juliano JJ (2015) Absence of putative artemisinin resistance mutations among *Plasmodium falciparum* in Sub-Saharan Africa: a molecular epidemiologic study. *The Journal of infectious diseases* 211: 680-688

Taylor TE, Strickland GT (2000) Malaria. In *Tropical Medicine and Emerging Infectious Diseases*, Strickland GT (ed), Eighth edn, p 614–643. Philadelphia: W. B. Saunders

Tejman-Yarden N, Millman M, Lauwaet T, Davids BJ, Gillin FD, Dunn L, Upcroft JA, Miyamoto Y, Eckmann L (2011) Impaired parasite attachment as fitness cost of metronidazole resistance in *Giardia lamblia*. *Antimicrob Agents Chemother* 55: 4643-4651

Thanh NV, Thuy-Nhien N (2017) Rapid decline in the susceptibility of *Plasmodium falciparum* to dihydroartemisinin-piperaquine in the south of Vietnam. *Malaria Journal* 16: 27

Thon G, Friis T (1997) Epigenetic Inheritance of Transcriptional Silencing and Switching Competence in Fission Yeast. *Genetics* 145: 685-696

Trape JF, Pison G, Preziosi MP, Enel C, Desgrées du Loû A, Delaunay V, Samb B, Lagarde E, Molez JF, Simondon F, . (1998) Impact of chloroquine resistance on malaria mortality. *C R Acad Sci III* 321(8): 689-697

Trenholme KR, Gardiner DL, Holt DC, Thomas EA, Cowman AF, Kemp DJ (2000) *clag9*: A cytoadherence gene in *Plasmodium falciparum* essential for binding of parasitized erythrocytes to CD36. *Proceedings of the National Academy of Sciences of the United States of America* 97: 4029-4033

Triglia T, Menting JG, Wilson C, Cowman AF (1997) Mutations in dihydropteroate synthase are responsible for sulfone and sulfonamide resistance in *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences of the United States of America* 94: 13944-13949

Uhlemann AC, McGready R, Ashley EA, Brockman A, Singhasivanon P, Krishna S, White NJ, Nosten F, Price RN (2007) Intrahost selection of *Plasmodium falciparum* *pfmdr1* alleles after antimalarial treatment on the northwestern border of Thailand. *The Journal of infectious diseases* 195: 134-141

UN. (2015) Transforming our world: the 2030 Agenda for Sustainable Development. United Nations.

Vaidya AB (2012) Naphthoquinones: atovaquone, and other antimalarials targeting mitochondrial functions. in *Treatment and Prevention of Malaria* Staines HM, Krishna S (eds), pp 127–139. Basel: Springer

Valecha N, Krudsood S, Tangpukdee N, Mohanty S, Sharma SK, Tyagi PK, Anvikar A, Mohanty R, Rao BS, Jha AC, Shahi B, Singh JP, Roy A, Kaur P, Kothari M, Mehta S, Gautam A, Paliwal JK, Arora S, Saha N (2012) Arterolane maleate plus piperazine phosphate for treatment of uncomplicated *Plasmodium falciparum* malaria: a comparative, multicenter, randomized clinical trial. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 55: 663-671

Veiga MI, Dhingra SK, Henrich PP, Straimer J, Gnadig N, Uhlemann AC, Martin RE, Lehane AM, Fidock DA (2016) Globally prevalent PfMDR1 mutations modulate *Plasmodium falciparum* susceptibility to artemisinin-based combination therapies. *Nature communications* 7: 11553

Verloo P, Kocken CH, Van der Wel A, Tilly BC, Hogema BM, Sinaasappel M, Thomas AW, De Jonge HR (2004) *Plasmodium falciparum*-activated chloride channels are defective in erythrocytes from cystic fibrosis patients. *The Journal of biological chemistry* 279: 10316-10322

Verma M, Rogers S, Divi RL, Schully SD, Nelson S, Joseph Su L, Ross SA, Pilch S, Winn DM, Khoury MJ (2014) Epigenetic research in cancer epidemiology: trends, opportunities, and challenges. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology* 23: 223-233

Wagner MA, Andemariam B, Desai SA (2003) A Two-Compartment Model of Osmotic Lysis in *Plasmodium falciparum*-Infected Erythrocytes. *Biophysical Journal* 84: 116-123

Wassmer SC, Grau GE (2017) Severe malaria: what's new on the pathogenesis front? *International journal for parasitology* 47: 145-152

Wassmer SC, Taylor TE, Rathod PK, Mishra SK, Mohanty S, Arevalo-Herrera M, Duraisingh MT, Smith JD (2015) Investigating the Pathogenesis of Severe Malaria: A Multidisciplinary and Cross-Geographical Approach. *The American journal of tropical medicine and hygiene* 93: 42-56

Weber JL (1988) Interspersed repetitive DNA from *Plasmodium falciparum*. *Molecular and biochemical parasitology* 29: 117-124

Wein S, Maynadier M, Bordat Y, Perez J, Maheshwari S, Bette-Bobillo P, Tran Van Ba C, Penarete-Vargas D, Fraisse L, Cerdan R, Vial H (2012) Transport and pharmacodynamics of albitiazolium, an antimalarial drug candidate. *Br J Pharmacol* 166: 2263-2276

Weiss GE, Crabb BS, Gilson PR (2016) Overlaying Molecular and Temporal Aspects of Malaria Parasite Invasion. *Trends in parasitology* 32: 284-295

Weiss GE, Gilson PR, Taechalertpaisarn T, Tham WH, de Jong NW, Harvey KL, Fowkes FJ, Barlow PN, Rayner JC, Wright GJ, Cowman AF, Crabb BS (2015) Revealing the sequence and resulting cellular morphology of receptor-ligand interactions during *Plasmodium falciparum* invasion of erythrocytes. *PLoS pathogens* 11: e1004670

Wernsdorfer WH, Payne D (1991) The dynamics of drug resistance in *Plasmodium falciparum*. *Pharmacol Ther* 50(1): 95-121

White LJ, Flegg JA, Phyo AP, Wiladpai-ngern JH, Bethell D, Plowe C, Anderson T, Nkhoma S, Nair S, Tripura R, Stepniewska K, Pan-Ngum W, Silamut K, Cooper BS, Lubell Y, Ashley EA, Nguon C, Nosten F, White NJ, Dondorp AM (2015) Defining the in vivo phenotype of artemisinin-resistant *falciparum* malaria: a modelling approach. *PLoS medicine* 12: e1001823

White NJ, Stepniewska K, Barnes K, Price RN, Simpson J (2008) Simplified antimalarial therapeutic monitoring: using the day-7 drug level? *Trends in parasitology* 24: 159-163

White NJ, Warrell DA, Looareesuwan S, Chanthavanich P, Phillips RE, Pongpaew P (1985) Pathophysiological and prognostic significance of cerebrospinal-fluid lactate in cerebral malaria. *Lancet* 1: 776-778

WHO. (2001) Antimalarial drug combination therapy. Report of a WHO technical consultation.

WHO. (2010) Global report on antimalarial drug efficacy and drug resistance: 2000-2010.

WHO. (2012) Seasonal Malaria Chemoprevention (SMC) for *Plasmodium falciparum* malaria control in highly seasonal transmission areas of the Sahel sub-region in Africa. World Health Organization.

WHO. (2014) Status report on artemisinin resistance. World Health Organization.

WHO. (2015) Guidelines for the treatment of malaria. World Health Organization

WHO. (2016a) WHO malaria terminology.

WHO. (2016b) World Malaria Report.

WHO. (2016c) World Malaria Report 2016.

WHO. (2017a) Drug-resistant TB: XDR-TB FAQ. <http://www.who.int/tb/areas-of-work/drug-resistant-tb/xdr-tb-faq/en/>.

WHO. (2017b) A framework for malaria elimination.

WHO. (2017c) Malaria Preventive therapies. World Health Organization, http://www.who.int/malaria/areas/preventive_therapies/en/.

Williams JL (1999) Stimulation of *Plasmodium falciparum* gametocytogenesis by conditioned medium from parasite cultures. *The American journal of tropical medicine and hygiene* 60: 7-13

Winter G, Kawai S, Haeggstrom M, Kaneko O, von Euler A, Kawazu S, Palm D, Fernandez V, Wahlgren M (2005) SURFIN is a polymorphic antigen expressed on *Plasmodium falciparum* merozoites and infected erythrocytes. *The Journal of experimental medicine* 201: 1853-1863

Winterberg M, Rajendran E, Baumeister S, Bietz S, Kirk K, Lingelbach K (2012) Chemical activation of a high-affinity glutamate transporter in human erythrocytes and its implications for malaria-parasite-induced glutamate uptake. *Blood* 119: 3604-3612

Witkowski B, Amaratunga C, Khim N, Sreng S, Chim P, Kim S, Lim P, Mao S, Sopha C, Sam B, Anderson JM, Duong S, Chuor CM, Taylor WRJ, Suon S, Mercereau-Puijalon O, Fairhurst RM, Menard D (2013) Novel phenotypic assays for the detection of artemisinin-resistant *Plasmodium falciparum* malaria in Cambodia: in-vitro and ex-vivo drug-response studies. *The Lancet Infectious Diseases* 13: 1043-1049

Witkowski B, Duru V, Khim N, Ross LS, Saintpierre B, Beghain J, Chy S, Kim S, Ke S, Kloeung N, Eam R, Khean C, Ken M, Loch K, Bouillon A, Domergue A, Ma L, Bouchier C, Leang R, Huy R, Nuel G, Barale J-C, Legrand E, Ringwald P, Fidock DA, Mercereau-Puijalon O, Arieu F, Ménard D (2017) A surrogate marker of piperazine-resistant *Plasmodium falciparum* malaria: a phenotype-genotype association study. *The Lancet Infectious Diseases* 17: 174-183

WMA. Declaration of Helsinki. World Medical Association, <https://www.wma.net/policies-post/wma-declaration-of-helsinki-ethical-principles-for-medical-research-involving-human-subjects/>.

Wongsrichanalai C, Barcus MJ, Muth S, Sutamihardja A, Wernsdorfer WH (2007) A review of malaria diagnostic tools: microscopy and rapid diagnostic test (RDT). *The American journal of tropical medicine and hygiene* 77: 119-127

Wright GJ, Rayner JC (2014) *Plasmodium falciparum* erythrocyte invasion: combining function with immune evasion. *PLoS pathogens* 10: e1003943

Yang C, Zhang H, Zhou R, Qian D, Liu Y, Zhao Y, Li S, Xu B (2017) Polymorphisms of *Plasmodium falciparum* k13-propeller gene among migrant workers returning to Henan Province, China from Africa. *BMC infectious diseases* 17: 560

Yeda R, Ingasia LA, Cheruiyot AC, Okudo C, Chebon LJ, Cheruiyot J, Akala HM, Kamau E (2016) The Genotypic and Phenotypic Stability of *Plasmodium falciparum* Field Isolates in Continuous In Vitro Culture. *PloS one* 11: e0143565

Zimmerman PA, Howes RE (2015) Malaria diagnosis for malaria elimination. *Current opinion in infectious diseases* 28: 446-454

Zordan RE, Galgoczy DJ, Johnson AD (2006) Epigenetic properties of white-opaque switching in *Candida albicans* are based on a self-sustaining transcriptional feedback loop. *Proceedings of the National Academy of Sciences* 103: 12807-12812